



New Media™ Plates & Modules

new.  
media™





## Solutions for all Manner of Media Cabling Problems

The modern home is now more than a mere home. It doubles up occasionally as a cinema, concert hall, meeting venue and computer room etc.. Each of these functions brings with it its own unique requirements in terms of the provision of necessary services such as telephone or satellite sockets etc.

Even in recent memory designers and builders did not think beyond providing a perfunctory level of electrical switches, sockets and pendant light fittings in a new home. Nowadays, as well as providing an ever increasing number of these items, provision must be made for the myriad different electrical and electronic products which proliferate our homes.

Traditionally, products such as telephone and TV coaxial sockets etc. have all been supplied built into a standard size wall plate. The environment in today's office and home however requires a number of services to be provided to a specific work station or convenient access point. The most flexible and efficient means of doing this is the use of modules on a multiple aperture plate.

The New Media™ range illustrated in the following pages encompasses a wide range of media and power modules, providing the designer and installer a host of solutions for all manner of media cabling problems.



MP	608	SC	BK
Plate Style	Product Number	Plate Finish	Insert Finish (if applicable)

New Media™ plates featured in the pages of this brochure are available in a variety of 10 distinctive quality finishes: Antique Brass\*, Polished Brass, Polished Chrome, Satin Chrome\*, Satin Brass\*, Black Nickel, Pearl Nickel, Brushed Stainless\*, Stainless Steel and Polar White.



## Contents

New Media™ Plates	L5
Deco Plus® Unfurnished Plates	L9
Deco® Unfurnished Plates	L10
Define® Unfurnished Plates	L11
Definity™ Unfurnished Plates	L12
Mode® Unfurnished Plates	L13
Part M™ Unfurnished Plates	L13
Polar™ Unfurnished Plates	L13
Metal Clad Unfurnished Plates	L14
New Media™ Modules	L16
Typical Sky+ Installation	L24
Typical Sky+ HD Installation	L25
Technical Details	L26

## New Media™ unique product codes

When ordering any New Media™ plates, please specify the required finish by following the simple code structure as demonstrated here.

# New Media™ Plates

The brief given to our designers charged with the task of developing the New Media™ range was to produce a comprehensive yet flexible and user friendly 'system' which enables the installer to easily create topical media and power cabling solutions.

All of the modules featured in this brochure are of the standard euro grid configuration based on 1 aperture modules of 25 x 50mm. Mounting plates are available as wall or floor plates and can accommodate 1 - 16 modules according to requirements.

Instead of numerous unsightly individual sockets, a single New Media™ plate can be used at a convenient point to bring together any combination of media modules. The individual modules are available in black, white or grey finishes and are suitable for mounting on blank plates from selected accessory ranges, namely the Polar™ and Mode® moulded accessory ranges, the Click® metal clad range plus the Deco Plus®, Deco®, Define® and Definity™ decorative metal ranges.

## New Media™ Plates



MP508



MP608

Small Unfurnished Front Plates - 8 Apertures Requires MP520 flush back box and MP510 Yoke. see page L8.

- MP508AB** Small New Media™ Unfurnished Front Plate - 8 Apertures - Antique Brass
- MP508BR** Small New Media™ Unfurnished Front Plate - 8 Apertures - Polished Brass
- MP508PN** Small New Media™ Unfurnished Front Plate - 8 Apertures - Pearl Nickel
- MP508SB** Small New Media™ Unfurnished Front Plate - 8 Apertures - Satin Brass

Small New Media™ Unfurnished Front Plate & Yoke - 8 Apertures

- CMA608** Small New Media™ Unfurnished Front Plate & Yoke - 8 Apertures - White
- MP608\*\*** Small New Media™ Unfurnished Front Plate & Yoke - 8 Apertures

**Standards:** BS 5733

**Back Box Depth (mm):** MP520 (47)

**Dimensions (mm):** 250 (W) x 87 (H) x 8 (D) **CMA608:** 248 (W) x 86 (H) x 9.5 (D)

Understanding the code:

**MP** - Plate Style **508** - Product No. **BN** - Insert Colour **AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **PN** Pearl Nickel, **BS** Brushed Stainless, **SS** Stainless Steel, **PW** Polar White, **MBBK** Matt Black.



MP516



MP616



The furnished plate illustrated above contains 8 single New Media™ modules (top row) and 4 twin width socket outlet modules (bottom row).

MP516 - The yoke 'MP510' (x2) is required to mount the media modules into prior to assembling the frontplate, see page L8.

Back box MP525 or MP535 is required, see page L8.

Large Unfurnished Front Plates - 2 x 8 Apertures

- MP516AB Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Antique Brass
- MP516BN Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Black Nickel
- MP516BR Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Polished Brass
- MP516BS Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Brushed Stainless
- MP516CH Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Polished Chrome
- MP516PN Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Pearl Nickel
- MP516SS Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Stainless Steel

Large New Media™ Unfurnished Front Plate & Yoke - 2 x 8 Apertures

- CMA616 Large New Media™ Unfurnished Front Plate & Yokes - 2 x 8 Apertures - White
- MP616\*\* Large New Media™ Unfurnished Front Plate & Yoke - 2 x 8 Apertures

**Standards:** BS 5733  
**Back Box Depth (mm):** MP535 (35) Or MP525 (47)  
**Dimensions (mm):** 250 (W) x 216 (H) x 8 (D) 616: 248 (W) x 214 (H) x 9.5 (D)

**Understanding the code:**  
**MP** - Plate Style **508** - Product No. **BN** - Plate Finish, **AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **PN** Pearl Nickel, **BS** Brushed Stainless, **SS** Stainless Steel, **PW** Polar White, **MBBK** Matt Black.



MP603SCBK




MP603CHWH

Half New Media Semi-Modular Part Furnished Plate

- CMA603 Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
- MP603CHWH Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
- MP603SCWH Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
- MP603CHBK Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
- MP603SBBK Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
- MP603SCBK Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
- MP603MBBK Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures

Supplied with 2 x 13A switched sockets. Back box MP520 required, see following page.



MP606CHBK



MP606SCWH

Product is supplied with 4 x 13A DP switched sockets. Back box MP525 or MP535 required, see following page.

2 Tier Semi-Modular Unfurnished Plates

- CMA606 Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
- MP606PW Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
- MP606CHBK Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
- MP606CHWH Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
- MP606SCBK Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
- MP606SCWH Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
- MP606MBBK Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures

**Standards:** BS 1363-2  
**Back Box Depth (mm):** 603: MP520 (47) 606: MP535 (35) Or MP525 (47) **Cable Size (mm²):** 3 x 2.5 or 2 x 4  
**Dimensions (mm):** 603: 250 (W) x 86 (H) x 8 (D) 606: 250 (W) x 216 (H) x 8 (D)


**Understanding the code:**  
**MP** - Plate Style **508** - Product No. **BN** - Plate Finish, **BK** - Insert Finish, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **PW** Polar White, **MB** Matt Black.



MP510



MP520



MP525 | MP535

Yoke

**MP510** New Media™ Yoke - 8 Apertures

Divider Plates

**MP521** Divider Plate 47mm Deep for MP520 (76mm x 44mm)

**MP526** Divider Plate 47mm Deep for MP525 (93mm x 44mm)

**MP536** Divider Plate 35mm Deep for MP535

Back Boxes

**MP520** 47mm Deep New Media™ Back Box - 8 Apertures

**MP525** 47mm Deep New Media™ Back Box With Central Divider - 2 x 8 Apertures

**MP535** 35mm Deep New Media™ Back Box With Central Divider - 2 x 8 Apertures

Galvanised steel back boxes supplied for flush mounting of Media Plates. Mounting yoke facilitates pre-assembly of required modules. Fitted with twin earth terminals. Divider plates can be installed as necessary in order to screen sensitive modules.



Unfurnished Plates - New Media™

**310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture

**311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures

**312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

**Standards:** BS 5733

**Back Box Depth (mm):** Dependent On Modules Fitted

**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code:

**DP** - Plate Style **BN** - Plate Finish **536** - Product No.

**AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **SS** Stainless Steel, **MB** Matt Black

**Standards:** 510 520: BS 5733  
**Cutout (mm):** 520: 225 (W) x 75 (H) 525 535: 225 (W) x 194 (H)  
**Dimensions (mm):** 510: 238 (W) x 75 (H) x 13 (D) 521: 76 (W) x 44 (H) x 1 (D) 526: 93 (W) x 44 (H) x 1 (D)  
 536: 93 (W) x 34 (H) x 1 (D) 520: 225 (W) x 75 (H) x 47 (D) 525: 225 (W) x 194 (H) x 47 (D) 535: 225 (W) x 194 (H) x 35 (D)



Unfurnished Plates - New Media™

- 310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- 311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- 312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

**Standards:** BS 5733  
**Back Box Depth (mm):** Dependent On Modules Fitted  
**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code:  
**VP** - Plate Style **BN** - Plate Finish **011** - Product No.  
**AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome,  
**BN** Black Nickel, **SS** Stainless Steel, **PN** Pearl Nickel, **GCBR** Georgian Style, **MB** Matt Black.



Unfurnished Plates - New Media™

- 310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- 311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- 312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

**Standards:** BS 5733  
**Back Box Depth (mm):** Dependent On Modules Fitted  
**Dimensions (mm):** 1 Gang: 86 (W) x 86 (H) x 1.3 (D) 2 Gang: 146 (W) x 88 (H) x 1.3 (D)

Understanding the code:  
**FP** - Plate Style **BN** - Plate Finish **311** - Product No **BK** - Insert Colour.  
**BS** Brushed Stainless, **BN** Black Nickel, **PN** Pearl Nickel, **CH** Polished Chrome and **SS** Stainless Steel



New Media™ Unfurnished Plate Inserts

- SIN310BK** 1 Gang New Media™ Unfurnished Plate Insert - 1 Aperture
- SIN311BK** 1 Gang New Media™ Unfurnished Plate Insert - 2 Apertures
- SIN312BK** 2 Gang New Media™ Unfurnished Plate Insert - 4 Apertures

New Media™ Cover Plates

- SCP310** 1 Gang New Media™ Cover Plate - 1 Aperture
- SCP311** 1 Gang New Media™ Cover Plate - 2 Apertures
- SCP312** 2 Gang New Media™ Cover Plate - 4 Apertures

**Standards:** Inserts: BS 5733  
**Back Box Depth (mm):** Dependent On Modules Fitted  
**Dimensions (mm):** 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:  
**SIN** - Insert Prefix **311** - Product No **BK** - Insert Colour **SS** - 'INGOT' Switch Finish (if applicable).  
**SCP** - Definity™ Cover Plate Prefix **311** - Product No **SS** - Plate Colour. Definity™ plates are coated stainless steel  
 CH Chrome, SS Stainless Steel, BS Brushed Stainless, PW Polar White, BK Matt Black, MW Metal White, RD Red & MB Metal Black.



**MODE®**

Mode® Unfurnished Plates - New Media™

- CMA310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- CMA311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- CMA312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

**Part M Range™**

Part M Range™ Unfurnished Plates - New Media™

- CMA310AG** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- CMA311AG** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- CMA312AG** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

**polar®**

Polar™ Unfurnished Plates - New Media™

- PRW310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- PRW311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- PRW312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures


**Standards:** BS 5733  
**Back Box Depth (mm):** Dependent On Modules Fitted  
**Dimensions (mm):** Mode® & Part M™: 1 Gang: 86 (W) x 86 (H) x 9.5 (D) 2 Gang: 146 (W) x 86 (H) x 9.5 (D)  
 Polar™: 1 Gang: 86 (W) x 86 (H) x 11 (D) 2 Gang: (146 (W) x 86 (H) x 11 (D))



Plates Complete With 40mm Deep Back Box  
For more Back Boxes see page N4

Unfurnished Plates - New Media™ c/w 40mm Mounting Box

- CL311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- CL312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures



Unfurnished Floor Plates - For Use With New Media™ Modules


- FS311SS** 1 Gang New Media™ Unfurnished Floor Plate - 2 Apertures
- FS312SS** 2 Gang New Media™ Unfurnished Floor Plate - 4 Apertures

**Standards:** BS 5733  
**Back Box Depth (mm):** 40  
**Dimensions (mm):** CL311: 80 (W) x 80 (H) x 42 (D) CL312: 140 (W) x 80 (H) x 42 (D) FS311SS: 86 (W) x 93 (D) x 5 (H)  
 FS312SS: 146 (W) x 93 (D) x 5 (H)



The New Media™ modules offer a flexible build solution to a host of individual media transfer requirements. The clip fit grid modules are simple to install in their blank mounting plates.





TV/Satellite Modules - Single Width (25mm x 50mm)

- MM405BK** Single Female Satellite Module - Black
- MM405WH** Single Female Satellite Module - White
- MM405GY** Single Female Satellite Module - Grey
- MM406BK** Twin Female Satellite Module (F to F Connection) - Black
- MM406WH** Twin Female Satellite Module (F to F Connection) - White
- MM406GY** Twin Female Satellite Module (F to F Connection) - Grey
- MM410BK** Single Female Coaxial Module - Black
- MM410WH** Single Female Coaxial Module - White
- MM410GY** Single Female Coaxial Module - Grey
- MM415BK** Single Male Coaxial Module - Black
- MM415WH** Single Male Coaxial Module - White
- MM415GY** Single Male Coaxial Module - Grey
- MM450BK** Blank Module - Black
- MM450WH** Blank Module - White
- MM450GY** Blank Module - Grey

**Standards:** 450: BS 5733  
**Dimensions (mm):** 405: 25 (W) x 50 (H) x 23 (D) 406: 25 (W) x 50 (H) x 15 (D) 410 415: 25 (W) x 50 (H) x 23.4 (D)  
 450: 25 (W) x 50 (H) x 14 (D)



Media Modules - Twin Width (50mm x 50mm)

- MM420BK** Diplexed TV And Radio Module - Black
- MM420WH** Diplexed TV And Radio Module - White
- MM420GY** Diplexed TV And Radio Module - Grey
- MM430BK** Triplexed TV, Radio & Satellite Module - Black
- MM430WH** Triplexed TV, Radio & Satellite Module - White
- MM430GY** Triplexed TV, Radio & Satellite Module - Grey
- MM440BK** Quad TV, Radio, Sat 1 & Sat 2 Module - Black
- MM440WH** Quad TV, Radio, Sat 1 & Sat 2 Module - White
- MM440GY** Quad TV, Radio, Sat 1 & Sat 2 Module - Grey
- MM425BK** Diplexed TV And Satellite Module - Black
- MM425WH** Diplexed TV And Satellite Module - White
- MM425GY** Diplexed TV And Satellite Module - Grey

**Dimensions (mm):** 50 (W) x 50 (H) x 31.3 (D)



MM460BK    MM465WH    MM470GY    MM480WH    MM485BK



MM460 (Back)    MM465 (Back)    MM470 (Back)    MM480 (Back)    MM485 (Back)

All New Media™ RJ45 modules are non-screened and are suitable for use with either Type A or Type B wiring conventions.

Telephone/Data Modules - Single Width (25mm x 50mm)

- |                |                                    |                |                            |
|----------------|------------------------------------|----------------|----------------------------|
| <b>MM460BK</b> | Telephone Master Module - Black    | <b>MM480BK</b> | RJ45 Cat-5e Module - Black |
| <b>MM460WH</b> | Telephone Master Module - White    | <b>MM480WH</b> | RJ45 Cat-5e Module - White |
| <b>MM460GY</b> | Telephone Master Module - Grey     | <b>MM480GY</b> | RJ45 Cat-5e Module - Grey  |
| <b>MM465BK</b> | Telephone Secondary Module - Black | <b>MM485BK</b> | RJ45 Cat-6 Module - Black  |
| <b>MM465WH</b> | Telephone Secondary Module - White | <b>MM485WH</b> | RJ45 Cat-6 Module - White  |
| <b>MM465GY</b> | Telephone Secondary Module - Grey  | <b>MM485GY</b> | RJ45 Cat-6 Module - Grey   |
| <b>MM470BK</b> | RJ11 Module - Black                |                |                            |
| <b>MM470WH</b> | RJ11 Module - White                |                |                            |
| <b>MM470GY</b> | RJ11 Module - Grey                 |                |                            |

**Dimensions (mm):** 460 465: 25 (W) x 50 (H) x 20.2 (D) 470: 25 (W) x 50 (H) x 17.2 (D) 480 485: 25 (W) x 50 (H) x 18 (D)



MM002BK    MM022WH    MM023BK    MM025WH    MM047BK



MM002 (Back)    MM022 (Back)    MM023 (Back)    MM025 (Back)    MM047 (Back)

Switch Modules - Single Width (25mm x 50mm)

- |                |   |                |  |
|----------------|---|----------------|--|
| <b>MM002BK</b> | 10AX 2 Way Switch Module - Black        | <b>MM022BK</b> | 20A DP Switch Module - Black           |
| <b>MM002WH</b> | 10AX 2 Way Switch Module - White        | <b>MM022WH</b> | 20A DP Switch Module - White           |
| <b>MM025BK</b> | 10AX Intermediate Switch Module - Black | <b>MM023BK</b> | 20A DP Switch With Neon Module - Black |
| <b>MM025WH</b> | 10AX Intermediate Switch Module - White | <b>MM023WH</b> | 20A DP Switch With Neon Module - White |
- Neon positioned on top of rocker

13A Fused FCU Modules - Single Width (25mm x 50mm)

- |                |                              |
|----------------|------------------------------|
| <b>MM047BK</b> | 13A Fused FCU Module - Black |
| <b>MM047WH</b> | 13A Fused FCU Module - White |

**Standards:** BS EN 60669-1 047: BS 1363-4 BS 1362  
**Cable Size (mm²):** 022 023: 3 x 2.5 or 2 x 4 025 002 047: 4 x 1.5 or 3 x 2.5  
**Dimensions (mm):** 25 (W) x 50 (H) x 22 (D) 047: 25 (W) x 50 (H) x 24.7 (D)



MM010BK

MM020WH



MM033WH

MM030BK



MM038WH



MM515WH

Socket Outlet Modules - Twin Width (50mm x 50mm)

- MM010BK** 13A UK Socket Module - Black
- MM010WH** 13A UK Socket Module - White

- MM020BK** 16A European Schuko Socket Module - Black
- MM020WH** 16A European Schuko Socket Module - White

If using with metal clad plates CL311 and CL312, the 40mm deep back boxes supplied will need to be replaced with 50mm deep, CL087 (1 gang) or CL088 (2 gang).

- MM030BK** 16A 110V US Socket Module - Black
- MM030WH** 16A 110V US Socket Module - White

- MM033BK** 15A Round Pin Socket Module - Black
- MM033WH** 15A Round Pin Socket Module - White

- MM038BK** 5A Round Pin Socket Module - Black
- MM038WH** 5A Round Pin Socket Module - White

USB Charging Modules - Single Width (25mm x 50mm)

- MM515BK** 2A USB Charging Module - Black
- MM515WH** 2A USB Charging Module - White

**Standards:** 010: BS 1363-2 020: IEC 60884 030: UL 498 033 038: BS 546  
 515: BS EN 60950-1 BS EN 61000-6-1 **Cable Size (mm<sup>2</sup>):** 3 x 2.5 or 2 x 4 038: 4 x 1.5 or 3 x 2.5 515: 2 x 1.5  
**Dimensions (mm):** 010: 50 (W) x 50 (H) x 25.6 (D) 020: 50 (W) x 50 (H) x 40.1 (D) 030: 50 (W) x 50 (H) x 25.5 (D)  
 033: 50 (W) x 50 (H) x 41 (D) 038: 50 (W) x 50 (H) x 27.1 (D) 515: 25 (W) x 55.7 (H) x 37 (D)



LED Euromods - Twin Width (50mm x 50mm)

- MM1001CW** 230V 1W LED Euromod - Cool White
  - MM1001WW** 230V 1W LED Euromod - Warm White
- Pre-wired with 110mm flylead.




MM1001



MM490BK

MM490 (Back)



MM495WH

MM495 (Side)

Speaker Modules - Single Width (25mm x 50mm)

- MM490BK** RCA/Phono Module (2 Outlets) - Black
- MM490WH** RCA/Phono Module (2 Outlets) - White
- MM490GY** RCA/Phono Module (2 Outlets) - Grey

- MM495BK** Loudspeaker Module (2 Outlets) - Black
- MM495WH** Loudspeaker Module (2 Outlets) - White
- MM495GY** Loudspeaker Module (2 Outlets) - Grey



UK Design Registration: 002296483

MM515WH



MM501GY

HDMI Outlet with Flexible Connection (80mm Long)


Brush Modules - Single Width (25mm x 50mm)

- MM550BK** Single Brush Module - Black (Black Bristles)
- MM550WH** Single Brush Module - White (Black Bristles)
- MM550WHWH** Single Brush Module - White (White Bristles)

HDMI Modules - Single Width (25mm x 50mm)

- MM501BK** HDMI V2.0 With Fly-Lead Module - Black
- MM501WH** HDMI V2.0 With Fly-Lead Module - White
- MM501GY** HDMI V2.0 With Fly-Lead Module - Grey

**Standards:** 1001: BS EN 60598-1 BS EN 60598-2-2 BS EN 55015 BS EN 61547 & BS PD IEC/TR 62778 BS EN 61000-3-2 & BS EN 61000-3-3 550: BS 5733  
**Dimensions (mm):** 490: 25 (W) x 50 (H) x 18.3 (D) 495: 25 (W) x 50 (H) x 19.3 (D) 501: 25 (W) x 50 (H) x 28.2 (D) 550: 25 (W) x 50 (H) x 12.6 (D) 1001: 50 (W) x 50 (H) x 30 (D)



MM300BK MM300 (with fly-lead)



MM305WH MM305 (with fly-lead)

Media Modules - Single Width (25mm x 50mm)

- MM300BK** USB Throughput With Fly-Lead Module - Black
- MM300WH** USB Throughput With Fly-Lead Module - White
- MM300GY** USB Throughput With Fly-Lead Module - Grey

- MM305BK** VGA With Fly-Lead Module - Black
- MM305WH** VGA With Fly-Lead Module - White
- MM305GY** VGA With Fly-Lead Module - Grey



MM491GY MM491 (Back)



MM496WH MM496 (with fly-lead)

Media Modules - Single Width (25mm x 50mm)

- MM491BK** Triple RCA Module (With Screw Terminals) - Black
- MM491WH** Triple RCA Module (With Screw Terminals) - White
- MM491GY** Triple RCA Module (With Screw Terminals) - Grey

- MM496BK** 3.5mm Audio Jack With Fly-Lead Module - Black
- MM496WH** 3.5mm Audio Jack With Fly-Lead Module - White
- MM496GY** 3.5mm Audio Jack With Fly-Lead Module - Grey

**Dimensions (mm):** 300: 25 (W) x 50 (H) x 41 (D) 305: 25 (W) x 50 (H) x 50 (D) 491: 25 (W) x 50 (H) x 18.3 (D) 496: 25 (W) x 50 (H) x 38 (D)

Touch & Indicator Modules - Twin Width (50mm x 50mm)

- MM602BK** Hotel Touch & Indicator Modules - Black
- MM602WH** Hotel Touch & Indicator Modules - White

Both Touch panel and Indicator panel supplied.  
Both panels require the (311 - 2 aperture) unfurnished plates or (312 - 4 aperture) unfurnished plates if mounting with additional New Media modules.

Hotel Key Card Switch Module - Twin Width (50mm x 50mm)

- MM620BK** 10A/6AX Hotel Key Card Timer Switch (Mechanical) Module Only - Black

Blue LED illuminates when the key card is removed and the exit time has elapsed. Select Cover plate below:



SP620BK SP620WH

Full item requires (MM620BK) switch module, (311) unfurnished plate and (SP620) hotel key card cover plate, see listed products below.

Hotel Key Card Switch Module Covers

- SP620BK** Black
- SP620MTBK** Black - Matt Black
- SP620BKAB** Black - Antique Brass
- SP620BKBN** Black - Black Nickel
- SP620BKBR** Black - Polished Brass
- SP620BKBS** Black - Brushed Stainless
- SP620BKCH** Black - Polished Chrome
- SP620BKPN** Black - Pearl Nickel
- SP620BKSB** Black - Satin Brass
- SP620BKSC** Black - Satin Chrome
- SP620BKSS** Black - Stainless Steel

Hotel Key Card Switch Module Covers

- SP620PW** White - White (Metal)
- SP620WH** White - White (Plastic)
- SP620WHBR** White - Polished Brass
- SP620WHBS** White - Brushed Stainless
- SP620WHCH** White - Polished Chrome
- SP620WHPN** White - Pearl Nickel
- SP620WHSB** White - Satin Brass
- SP620WHSC** White - Satin Chrome
- SP620WHSS** White - Stainless Steel

Please note requires mounting plate \*\*311 see from page L9 to page page L14 or for \*\*31102, please see Gridpro section. Requires the MM620BK key card module.


**Standards:** MM602: BS 5733 BS EN 60669-2-1 MM620: BS EN 60669-1 BS EN 60669-2-3  
**Cable Size (mm²):** 2 x 1.5 **MM602:** 1.5 **Time setting:** 10 seconds to 5 minutes  
**Dimensions (mm):** MM602: 50 (W) x 50 (H) x 33 (D) MM620: 50 (W) x 50 (H) x 40 (D) SP620: 61 (W) x 52 (H) x 20.5 (D)  
Key card not included. Accepts standard room cards: 85.6 x 53.98mm



MM602BK

MM620BK






Here, the input cables from the satellite dish and the TV aerial are connected directly to the rear of each module. The return module is provided to allow the Sky signal to be shared throughout the property using a suitable distribution amplifier. The use of a secondary telephone connection allows for easy connection between the Sky box and the telephone line.

Products Used For This Configuration:

- 1 x \*\*312 Media Plate
- 1 x MM406 Twin Satellite Module
- 1 x MM415 Co-axial Module
- 1 x MM410 Co-axial Module
- 1 x MM465 Telephone Secondary Module



Here, the input cables from the satellite dish and the TV aerial are connected directly to the rear of each module. The return module is provided to allow the Sky signal to be shared throughout the property using a suitable distribution amplifier. The use of a secondary telephone connection allows for easy connection between the Sky box and the telephone line. An HDMI module is provided to facilitate a high definition connection between the Sky box and television.

<b>MM405</b>			<b>Single 'F' Satellite</b>
Connection	Frequency	Insertion Loss (dB) (Typical)	
In to Out	5 to 2300 MHz	1.6	
Power pass to connection			
<b>MM410</b>			<b>Single IEC Female</b>
Connection	Frequency	Insertion Loss (dB) (Typical)	
In to Out	5 to 862 MHz	0.3	
Power pass to connection			
<b>MM415</b>			<b>Single IEC Male</b>
Connection	Frequency	Insertion Loss (dB) (Typical)	
In to Out	5 to 862 MHz	0.3	
Power pass to connection			
<b>MM420</b>			<b>Diplexed TV &amp; Radio</b>
Connection	Frequency	Insertion Loss (dB) (Typical)	
In to Radio	87.5 to 230 MHz	2.0	
In to TV	47 to 68 MHz	1.5	
In to TV	254 to 862 MHz	2.0	
Power pass to TV			
<b>MM425</b>			<b>Diplexed TV &amp; Satellite</b>
Connection	Frequency	Insertion Loss (dB) (Typical)	
In to TV	47 to 862MHz	2.0	
In to Satellite	950 to 2150 MHz	2.5	
In to Satellite	2150 to 2400 MHz	3.0	
Power pass to satellite			
<b>MM430</b>			<b>Triplexed TV, Radio &amp; Satellite</b>
Connection	Frequency	Insertion Loss (dB) (Typical)	
In to Radio	87.5 to 230MHz	3.0	
In to TV	47 to 68MHz	2.0	
In to TV	254 to 862MHz	2.0	
In to Satellite	950 to 2300 MHz	3.0	
Power pass to satellite			
<b>MM440</b>			<b>Quad TV, Radio, Satellite 1 &amp; Satellite 2</b>
Connection	Frequency	Insertion Loss (dB) (Typical)	
In to Radio	87.5 to 230MHz	3.0	
In to TV	470 to 862MHz	2.5	
In to Satellite 1	950 to 2300 MHz	3.0	
In to Satellite 2	25 to 2400 MHz	1.5	
Power pass to satellite 1 & satellite 2			

All diplexed, triplexed and quad modules require installation of a signal combining distribution amplifier. Not suitable for use in the Republic of Ireland.

The range of diplexed, triplexed and quad modules are not compatible with 'Sky Q'.