Screwless Wiring Accessories

definity™

definity™

The Screwless Range

The smooth, clean lines of Definity™ products provide the ultimate finishing touch to a feature packed range of decorative domestic electrical accessories.

Definity™ has evolved from our well established Define® flat plate accessory range and features all of the same attributes including modular switching but without the visible fixing screws.

Definity™ goes one stage further by incorporating screwless, push-fit face plates in 8 assorted finishes. The face plates are supplied independently of the electrical inserts which means that the initial installation of the product can be carried out and any subsequent maintenance or decoration completed before the final selection and fixing of the face plate.

For the installer, this means a greater degree of flexibility in the timing of the installation of the insert and the distributor need not carry excessive levels of costly finished product. Furthermore should subsequent interior design change or re-decoration dictate that a different colour accessory be required to complement the new scheme, replacement plates can be sourced individually and fitted without the need for any special tools or electrical skills.

Each Definity™ product comprises an insert and a decorative cover plate.

Inserts are available in Black, White and Grey, *(Grey is Ingot only).*

Plates are available in 8 different finishes.

PW, BK & RD finishes are produced from polycarbonate. All other finishes are coated stainless steel

Simply select the required insert and choice of cover plate finish.

*UK Design Registration 3015621.



SIN	036	BK	SS
Insert Prefix	Product Number	Insert Colour	Ingot Switch Finish (if applicable)

SCP	436	SS
Cover Plate Prefix	Product Number	Product Colour

Contents

Product Complete Design

Switches	F6
Power Socket Outlets	F14
Fused Connection Units	F18
45A Switches	F22
Control Switches	F24
Socket & Blank Plates	F27
Telephone & Data Sockets	F30
Satellite & Coaxial Outlets	F31
New Media™ Plates	F32

Components Listing

Switches	F34
Socket Outlets	F42
Fused Connection Units	F48
Red Fused Connection Units	F52
45A Switches	F53
RJ11 Outlet	F54
UK Telephone Outlet	F55
Satellite & Coaxial Outlets	F56
New Media™ Plates	F58
Galvanised Boxes	F59
Dry Lining Boxes	F60

Definity™ unique product codes

When ordering either an insert or cover plate from this catalogue, please specify a unique product code as shown.

For example if you wish to order a 2 gang 13A switched socket in stainless steel with a black switch and insert, the unique product code for the insert will be SIN036BK and for the cover plate will be SCP436SS.

If a 2 gang 13A switched socket in stainless steel with a stainless steel ingot switch and black insert is preferred, the unique product code for the insert will be SIN536BKSS and for the cover plate will be SCP436SS.

Switches

The range of Definity™ modular switches comprises of both moulded black or white switches as well as metallic finished 'Ingot' switches, which features a simple single screw fixing to the insert.

The modular Minigrid® format is fitted as standard and is enhanced by the availability of multi-functional and fully interchangeable modules which also includes 'Ingot' finishes through the range.

The unfurnished single and double plates offer the installer unprecedented flexibility in creating customised wiring solutions.

MINIGRID®

Please see page K18 for a selection of Minigrid® modules.

MINIGRID®

The rotary dimmer switches are interchangeable with the use of our M10 nut runner tool. There are a host of alternative dimmer modules and plates available, see page K37.

Traditional toggle switches are also listed with an intermediate single switch plate option.
The 2 way toggle switch is interchangeable with the intermediate toggle module.



Simple, single screw or snap fit installation of the modules on the mounting plates has encouraged contractors to devise and install customised switching solutions on-site.

Modular Switches | Rotary Dimmer Switches
Toggle Switches | Control Switches

Definity™ plates are coated stainless steel, available in the following finishes:
Brushed Stainless (BS), Polished Chrome (CH), Stainless Steel (SS), Metal White (MW) and Metal Black (MB)
White (PW) Black (BK) and Red (RD) are also available, produced from polycarbonate.

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
White (PW) Black (BK) Grey (GY)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN011 | SIN025 SCP401 SIN012 SCP402 SIN013 SCP403

SIN019 SCP404

SIN105 SCP406

SCP401 SCP402 SCP403 available in Red (RD)

1 Gang Intermediate Switch Insert

SIN025 10AX 1 Gang Intermediate Switch Insert

MiniGrid® Cover Plates

SCP401 1 Gang MiniGrid® Cover Plate - 1 Aperture

2 Way Switch Inserts

SIN011 10AX 1 Gang 2 Way Switch Insert
SIN012 10AX 2 Gang 2 Way Switch Insert
SIN013 10AX 3 Gang 2 Way Switch Insert
SIN019 10AX 4 Gang 2 Way Switch Insert
SIN105 10AX 6 Gang 2 Way Switch Insert

MiniGrid® Cover Plates

SCP401 1 Gang MiniGrid® Cover Plate - 1 Aperture
SCP402 1 Gang MiniGrid® Cover Plate - 2 Apertures
SCP403 1 Gang MiniGrid® Cover Plate - 3 Apertures
SCP404 2 Gang MiniGrid® Cover Plate - 2 x 2 Apertures
SCP406 2 Gang MiniGrid® Cover Plate - 2 x 3 Apertures

Standards: BS EN 60669-1
Back Box Depth (mm): 25 Cable Size (mm²): 4 x 1.5 or 2 x 2.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN411 | SIN425 SCP401 SIN412 SCP402 SIN413 SCP403

SIN414 SCP404

SIN416 SCP406

SCP401 SCP402 SCP403 available in Red (RD)

Ingot 1 Gang Intermediate Switch Insert

SIN425 10AX Ingot 1 Gang Intermediate Switch Insert

MiniGrid® Cover Plates

SCP401 1 Gang MiniGrid® Cover Plate - 1 Aperture

Ingot 2 Way Switch Inserts

SIN411 10AX Ingot 1 Gang 2 Way Switch Insert
SIN412 10AX Ingot 2 Gang 2 Way Switch Insert
SIN413 10AX Ingot 3 Gang 2 Way Switch Insert
SIN414 10AX Ingot 4 Gang 2 Way Switch Insert
SIN416 10AX Ingot 6 Gang 2 Way Switch Insert

MiniGrid® Cover Plates

SCP401 1 Gang MiniGrid® Cover Plate - 1 Aperture
SCP402 1 Gang MiniGrid® Cover Plate - 2 Apertures
SCP403 1 Gang MiniGrid® Cover Plate - 3 Apertures
SCP404 2 Gang MiniGrid® Cover Plate - 2 x 2 Apertures
SCP406 2 Gang MiniGrid® Cover Plate - 2 x 3 Apertures

Standards: BS EN 60669-1
Back Box Depth (mm): 25 Cable Size (mm²): 4 x 1.5 or 2 x 2.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Dimmer Modules

MD9001	6A 2 Way Push On/Off (Non-Dimming) Module (25 x 62mm)
MD9010	1-10V Analogue Dimmer Module (25 x 62mm)
MD9022	250W 2 Leading Edge Way Dimmer Module (25 x 62mm)
MD9042	400W 2 Way Leading Edge Dimmer Module (25 x 62mm)
MD9014	100W Dual Mode Dimmer Module with Trim (26.5 x 55mm)

Dimmer M10 Nut Runner

SP900	Dimmer M10 Nut Runner Tool

Use the nut runner to easily exchange dimmer modules and create customised dimmer switch plate

SP900

MD9014

SIN140, SIN141
SCP241

SIN143
SCP243

SIN142
SCP242

SIN144
SCP244

We recommend the use of branded halogen lamps with all Definity™ leading edge dimmers. The use of inferior, non-branded lamps may require the nominal rating of the dimmer to be reduced. These dimmer switches have not been designed to use with LED lamps. However, they may be suitable for some good quality LED lamps. For further information please contact Click® Technical support team.

Leading Edge Dimmer Switch Inserts - Push On/Off

SIN140	1 Gang 2 Way 400Va Dimmer Switch Insert
SIN141	1 Gang 2 Way 250Va Dimmer Switch Insert
SIN142	2 Gang 2 Way 250Va Dimmer Switch Insert
SIN143	3 Gang 2 Way 250Va Dimmer Switch Insert
SIN144	4 Gang 2 Way 250Va Dimmer Switch Insert

Dimmer Switch Cover Plate & Dimmer Knob

SCP241	1 Gang Dimmer Switch Cover Plate
SCP241	1 Gang Dimmer Switch Cover Plate
SCP242	2 Gang Dimmer Switch Cover Plate
SCP243	3 Gang Dimmer Switch Cover Plate
SCP244	4 Gang Dimmer Switch Cover Plate

BK dimmer plates are available with chrome knob, e.g. SCP241BKCH

Standards: BS EN 60669-1 BS EN 55015 BS EN 61000-3-2 BS EN 61000-3-3
Back Box Depth (mm): 35 **Cable Size (mm²):** 2 x 1.5 **Type:** Leading Edge
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Dimmer Modules

MD9001	6A 2 Way Push On/Off (Non-Dimming) Module (25 x 62mm)
MD9010	1-10V Analogue Dimmer Module (25 x 62mm)
MD9022	250W 2 Leading Edge Way Dimmer Module (25 x 62mm)
MD9042	400W 2 Way Leading Edge Dimmer Module (25 x 62mm)
MD9014	100W Dual Mode Dimmer Module with Trim (26.5 x 55mm)

Dimmer M10 Nut Runner

SP900	Dimmer M10 Nut Runner Tool

Use the nut runner to easily exchange dimmer modules and create customised dimmer switch plate

SP900

MD9014

SIN161
SCP241

SIN163
SCP243

SIN162
SCP242

SIN164
SCP244

We recommend the use of branded LED lamps with all Definity™ trailing edge dimmers. The use of inferior, non-branded lamps may require the nominal rating of the dimmer to be reduced. For further information please contact Click® Technical support team.

Trailing Edge Dimmer Switch Inserts - Push On/Off

SIN161	1 Gang 2 Way 100W Dimmer Switch Insert
SIN162	2 Gang 2 Way 100W Dimmer Switch Insert
SIN163	3 Gang 2 Way 100W Dimmer Switch Insert
SIN164	4 Gang 2 Way 100W Dimmer Switch Insert

Dimmer Switch Cover Plate & Dimmer Knob

SCP241	1 Gang Dimmer Switch Cover Plate
SCP242	2 Gang Dimmer Switch Cover Plate
SCP243	3 Gang Dimmer Switch Cover Plate
SCP244	4 Gang Dimmer Switch Cover Plate

BK dimmer plates are available with chrome knob, e.g. SCP241BKCH

Standards: BS EN 60669-1 BS EN 60669-2-1 BS EN 55015 BS EN 61000-3-2
Back Box Depth (mm): 35 **Cable Size (mm²):** 2 x 1.5 **Type:** Trailing Edge
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Dimmer Modules

MD9001	6A 2 Way Push On/Off (Non-Dimming) Module (25 x 62mm)
MD9010	1-10V Analogue Dimmer Module (25 x 62mm)
MD9022	250W 2 Leading Edge Way Dimmer Module (25 x 62mm)
MD9042	400W 2 Way Leading Edge Dimmer Module (25 x 62mm)
MD9014	100W Dual Mode Dimmer Module with Trim (26.5 x 55mm)

Dimmer M10 Nut Runner

SP900	Dimmer M10 Nut Runner Tool

Use the nut runner to easily exchange dimmer modules and create customised dimmer switch plate

SP900

MD9014

SIN141PL
SCP241

SIN143PL
SCP243

SIN142PL
SCP242

SIN144PL
SCP244

Rotary Dimmer Mounting Plates Inserts

SIN141PL	1 Gang Unfurnished Dimmer Switch Insert - 1 Aperture
SIN142PL	2 Gang Unfurnished Dimmer Switch Insert - 2 Apertures
SIN143PL	3 Gang Unfurnished Dimmer Switch Insert - 3 Apertures
SIN144PL	4 Gang Unfurnished Dimmer Switch Insert - 4 Apertures

The dimmer modules are supplied separately to the plates listed above.

Dimmer Switch Cover Plate & Dimmer Knob

SCP241	1 Gang Dimmer Switch Cover Plate
SCP242	2 Gang Dimmer Switch Cover Plate
SCP243	3 Gang Dimmer Switch Cover Plate
SCP244	4 Gang Dimmer Switch Cover Plate

BK dimmer plates are available with chrome knob, e.g. SCP241BKCH

Standards: BS 5733
Back Box Depth (mm): 35
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

10AX Intermediate Toggle Switch Modules

MD9125	10AX Intermediate Toggle Switch Module

Plate Finish	Module Finish
Chrome	CH - Chrome
Stainless Steel & Brushed Stainless	PN - Pearl Nickel

MD9125

SIN420, SIN421
SCP221

SIN423
SCP223

SIN422
SCP222

SIN424
SCP224

1 Gang Intermediate Toggle Switch Insert

SIN420	10AX 1 Gang Intermediate Toggle Switch Insert

2 Way Toggle Switch Inserts

SIN421	10AX 1 Gang 2 Way Toggle Switch Insert
SIN422	10AX 2 Gang 2 Way Toggle Switch Insert
SIN423	10AX 3 Gang 2 Way Toggle Switch Insert
SIN424	10AX 4 Gang 2 Way Toggle Switch Insert

Toggle Switch Cover Plates

SCP221	1 Gang Toggle Switch Cover Plate

Toggle Switch Cover Plates

SCP221	1 Gang Toggle Switch Cover Plate
SCP222	2 Gang Toggle Switch Cover Plate
SCP223	3 Gang Toggle Switch Cover Plate
SCP224	4 Gang Toggle Switch Cover Plate

Standards: BS EN 60669-1
Back Box Depth (mm): 35 **Cable Size (mm²):** 4 x 1.5 or 2 x 2.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN401
SCP401

SIN404
SCP404

SIN402
SCP402

SIN406
SCP406

SIN403
SCP403

SIN426
SCP426

SCP401 SCP402 SCP403 available in Red (RD)

MiniGrid® Unfurnished Plate Inserts

SIN401	1 Gang MiniGrid® Unfurnished Plate Insert - 1 Aperture
SIN402	1 Gang MiniGrid® Unfurnished Plate Insert - 2 Apertures
SIN403	1 Gang MiniGrid® Unfurnished Plate Insert - 3 Apertures
SIN404	2 Gang MiniGrid® Unfurnished Plate Insert - 2 x 2 Apertures
SIN406	2 Gang MiniGrid® Unfurnished Plate Insert - 2 x 3 Apertures
SIN426	2 Gang MiniGrid® Unfurnished Plate Insert - 6 In-Line Apertures

MiniGrid® Cover Plates

SCP401	1 Gang MiniGrid® Cover Plate - 1 Aperture
SCP402	1 Gang MiniGrid® Cover Plate - 2 Apertures
SCP403	1 Gang MiniGrid® Cover Plate - 3 Apertures
SCP404	2 Gang MiniGrid® Cover Plate - 2 x 2 Apertures
SCP406	2 Gang MiniGrid® Cover Plate - 2 x 3 Apertures
SCP426	2 Gang MiniGrid® Cover Plate - 6 In-Line Apertures

MINIGRID® For the complete range of MiniGrid® modules, see page K18.

Standards: BS 5733
Back Box Depth (mm): Dependent On Modules Fitted
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black



Power Socket Outlets, Fused Connection Units & Control Switches

With the ever increasing demand for power supplies in all areas of the home comes the problem of selecting and fitting outlets which blend harmoniously with the décor of the room in which they are to be fitted.
The 7 different Definity™ plate finishes offer a solution for almost every possible design need and will enhance the décor of any area whether in a kitchen, bedroom, lounge or study etc...

13A Wall Socket Outlets | Round Pin
Wall Socket Outlets | Fused Connection Units
Fan Isolation Switches | DP Switches

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Socket Inserts

SIN630 13A 1 Gang Socket Insert (Twin Earth)
SIN035 13A 1 Gang DP Switched Socket Insert
SIN036 13A 2 Gang DP Switched Socket (Twin Earth) Insert

Socket Cover Plates

SCP430 13A 1 Gang Socket Cover Plate
SCP435 13A 1 Gang Switched Socket Cover Plate
SCP436 13A 2 Gang Switched Socket Cover Plate

Ingot Socket Inserts

SIN535 13A Ingot 1 Gang DP Switched Socket Insert
SIN536 13A Ingot 2 Gang DP Switched Socket (Twin Earth) Insert

Socket Cover Plates

SCP435 13A 1 Gang Switched Socket Cover Plate
SCP436 13A 2 Gang Switched Socket Cover Plate

Standards: BS 1363-2
Back Box Depth (mm): 35 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No **BK** - Insert Colour **SS** - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No **SS** - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Safety Shutter Sockets (Excluding USB options) are only available for sale in the Republic of Ireland.

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Socket Inserts

SIN1035 13A 1 Gang DP Switched Safety Shutter Socket Outlet Insert
SIN1036 13A 2 Gang DP Switched Safety Shutter Socket Outlet (Twin Earth) Insert
SIN1836 13A 2 Gang DP Switched Safety Shutter Socket Outlet With Outboard Rockers (Twin Earth) Insert
SIN1840 13A 2 Gang DP Switched Safety Shutter Socket Outlet With Outboard Rockers & Neons (Twin Earth) Insert

Socket Cover Plates

SCP835 13A 1 Gang Switched Safety Shutter Socket Cover Plate
SCP436 13A 2 Gang Switched Socket Cover Plate
SCP840 13A 2 Gang Outboard Switched Safety Shutter Socket Cover Plate
SCP840 13A 2 Gang Outboard Switched Safety Shutter Socket Cover Plate

Ingot Socket Inserts

SIN1535 13A Ingot 1 Gang DP Switched Safety Shutter Socket Outlet Insert
SIN1536 13A Ingot 2 Gang DP Switched Safety Shutter Socket Outlet (Twin Earth) Insert
SIN1836 13A Ingot 2 Gang DP Switched Safety Shutter Socket Outlet With Outboard Rockers (Twin Earth) Insert

Socket Cover Plates

SCP835 13A 1 Gang Switched Safety Shutter Socket Cover Plate
SCP436 13A 2 Gang Switched Socket Cover Plate
SCP840 13A 2 Gang Outboard Switched Safety Shutter Socket Cover Plate

Standards: BS 1363-2
Back Box Depth (mm): 35 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No **BK** - Insert Colour **SS** - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No **SS** - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN771U SCP471U

SIN570 SCP470

SIN580 SCP480

Socket Inserts

SIN771U 13A 1 Gang Switched Socket With 2.1A USB Outlet (Twin Earth) Insert

SIN770 13A 2 Gang Switched Socket With 2.1A USB Outlet (Twin Earth) Insert

SIN780 13A 2 Gang Switched Socket With Twin 2.1A USB Outlets (4.2A) (Twin Earth) Insert

Socket Cover Plates

SCP471U 13A 1 Gang Switched Socket With 2.1A USB Charger Cover Plate

SCP470 13A 2 Gang Switched Socket With 2.1A USB Charger Cover Plate

SCP480 13A 2 Gang Switched Socket With Twin 2.1A USB Charger Cover Plate

SIN571U SCP471U

SIN570 SCP470

SIN580 SCP480

Ingot Socket Inserts

SIN571U 13A Ingot 1 Gang Switched Socket With 2.1A USB Outlet (Twin Earth) Insert

SIN570 13A Ingot 2 Gang Switched Sockets With 2.1A USB Outlet (Twin Earth) Insert

SIN580 13A Ingot 2 Gang Switched Socket With Twin 2.1A USB Outlets (4.2A) (Twin Earth) Insert

Socket Cover Plates

SCP471U 13A 1 Gang Switched Socket With 2.1A USB Charger Cover Plate

SCP470 13A 2 Gang Switched Socket With 2.1A USB Charger Cover Plate

SCP480 13A 2 Gang Switched Socket With Twin 2.1A USB Charger Cover Plate

Standards: BS 1363-2: 2016 +A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1
Back Box Depth (mm): 35 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Safety Shutter Sockets (Excluding USB options) are only available for sale in the Republic of Ireland.

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN786 SCP486

SIN586 SCP486

Socket Inserts

SIN786 13A 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Outlets (Twin Earth) Insert

Ingot Socket Inserts

SIN586 13A Ingot 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Outlets (Twin Earth) Insert

Socket Cover Plates

SCP486 13A 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Outlets Cover Plate

Socket Cover Plates

SCP486 13A 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Outlets Cover Plate

SIN660 SCP660

SIN655 SCP655

Lockable Switch Insert

SIN660 20A Double Pole Key Lockable Switch Insert

Lockable Socket Inserts

SIN655 13A 1G DP Key Lockable Socket With Neon Insert

Lockable Switch Cover Plates

SCP660 20A Double Pole Key Lockable Switch Cover Plate

Lockable Socket Cover Plates

SCP655 13A 1 Gang DP Key Lockable Socket With Neon Cover Plate

Standards: BS 1363-2: 2016 +A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1 655: BS EN 60669-1 BS 1363-2 660: BS EN 60669-1
Back Box Depth (mm): 35 655 660: 47 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN050 SCP150

SIN051 SCP151

SIN052 SCP152

Fused Connection Unit With Optional Flex Outlet Inserts

SIN050 13A FCU Insert
SIN051 13A Switched FCU Insert
SIN052 13A Switched FCU With Neon Insert
SIN053 13A FCU With Neon Insert

Fused Connection Unit With Flex Outlet Cover Plates

SCP150 13A FCU Cover Plate
SCP151 13A Switched FCU Cover Plate
SCP152 13A Switched FCU With Neon Cover Plate
SCP153 13A FCU With Neon Cover Plate

SIN053 SCP153

SIN652 SCP252

SIN653 SCP253

Fused Connection Unit Without Flex Outlet Inserts

SIN650 13A FCU Insert
SIN651 13A Switched FCU Insert
SIN652 13A Switched FCU With Neon Insert
SIN653 13A FCU With Neon Insert

Fused Connection Unit Without Flex Outlet Cover Plates

SCP250 13A FCU Cover Plate
SCP251 13A Switched FCU Cover Plate
SCP252 13A Switched FCU With Neon Cover Plate
SCP253 13A FCU With Neon Cover Plate

Standards: BS 1363-4 BS 1362
Back Box Depth (mm): 35 Cable Size (mm²): 3 x 2.5 or 2 x 4
Dimensions (mm): 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN550 SCP150

SIN551 SCP151

SIN552 SCP152

Ingot Fused Connection Unit With Optional Flex Outlet Inserts

SIN550 13A Ingot FCU Insert
SIN551 13A Ingot Switched FCU Insert
SIN552 13A Ingot Switched FCU With Neon Insert
SIN553 13A Ingot FCU With Neon Insert

Fused Connection Unit With Flex Outlet Cover Plates

SCP150 13A FCU Cover Plate
SCP151 13A Switched FCU Cover Plate
SCP152 13A Switched FCU With Neon Cover Plate
SCP153 13A FCU With Neon Cover Plate

SIN750 SCP250

SIN751 SCP251

SIN753 SCP253

Ingot Fused Connection Unit Without Flex Outlet Inserts

SIN750 13A Ingot FCU Insert
SIN751 13A Ingot Switched FCU Insert
SIN752 13A Ingot Switched FCU With Neon Insert
SIN753 13A Ingot FCU With Neon Insert

Fused Connection Unit Without Flex Outlet Cover Plates

SCP250 13A FCU Cover Plate
SCP251 13A Switched FCU Cover Plate
SCP252 13A Switched FCU With Neon Cover Plate
SCP253 13A FCU With Neon Cover Plate

Standards: BS 1363-4 BS 1362
Back Box Depth (mm): 35 Cable Size (mm²): 3 x 2.5 or 2 x 4
Dimensions (mm): 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SCP350 SCP351
available in Red (RD)

SIN250 SCP350

SIN253 SCP353

Lockable Fused Connection Unit With Optional Flex Outlet Insert

SIN250	13A Lockable FCU Insert
SIN249RD	3A Lockable FCU Insert
SIN253	13A Lockable FCU With Neon Insert

Lockable Fused Connection Unit With Flex Outlet Cover Plates

SCP350	13A Lockable FCU Cover Plate
SCP350	13A Lockable FCU Cover Plate
SCP353	13A Lockable FCU With Neon Cover Plate

SIN252 SCP352

SIN251 SCP351

Lockable Switched Fused Connection Unit With Optional Flex Outlet Insert

SIN251	13A Lockable Switched FCU Insert
SIN256RD	3A Lockable Switched FCU Insert
SIN252	13A Lockable Switched FCU With Neon Insert

Lockable Switched Fused Connection Unit With Flex Outlet Cover Plate

SCP351	13A Lockable Switched FCU Cover Plate
SCP351	13A Lockable Switched FCU Cover Plate
SCP352	13A Lockable Switched FCU With Neon Cover Plate

Standards: BS 1363-4 BS 1362
Back Box Depth (mm): 35 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN850
SCP450

SIN851
SCP451

SIN852
SCP452

SIN853
SCP453

Lockable Fused Connection Unit Without Flex Outlet Insert

SIN850	13A Lockable FCU Insert
SIN851	13A Lockable Switched FCU Insert
SIN852	13A Lockable Switched FCU With Neon Insert
SIN853	13A Lockable FCU With Neon Insert

Lockable Fused Connection Unit Without Flex Outlet Cover Plates

SCP450	13A Lockable FCU Cover Plate
SCP451	13A Lockable Switched FCU Cover Plate
SCP452	13A Lockable Switched FCU With Neon Cover Plate
SCP453	13A Lockable FCU With Neon Cover Plate

Standards: BS 1363-4 BS 1362
Back Box Depth (mm): 35 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN200 SCP200 SIN201 SCP201 SIN204 SCP204

SIN202 SCP202 SIN203 SCP203 SIN205 SCP205

45A DP Switches & Socket Inserts

SIN200	45A 1 Gang DP Switch Insert
SIN201	45A 1 Gang DP Switch With Neon Insert
SIN202	45A 2 Gang DP Switch Insert
SIN203	45A 2 Gang DP Switch With Neon Insert
SIN204	45A DP Switch With 13A DP Switched Socket Insert
SIN205	45A DP Switch With 13A DP Switched Socket & Neons Insert

Switches & Socket Cover Plates

SCP200	45A 1 Gang Switch Cover Plate
SCP201	45A 1 Gang Switch With Neon Cover Plate
SCP202	45A 2 Gang Switch Cover Plate
SCP203	45A 2 Gang Switch With Neon Cover Plate
SCP204	45A 2 Gang Switch With 13A Switched Socket Cover Plate
SCP205	45A 2 Gang Switch With 13A Switched Socket & Neons Cover Plate

Standards: SIN200 SIN201 SIN202 SIN203: BS EN 60669-1 SIN204 SIN205: BS 4177
Back Box Depth (mm): 47 **Cable Size (mm²):** 1 x 16
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D) SCP202 SCP203: 86 (W) x 146 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN500 SCP200 SIN501 SCP201 SIN504 SCP204

SIN502 SCP202 SIN503 SCP203 SIN505 SCP205

Ingot 45A Switches & Socket Inserts

SIN500	45A Ingot 1 Gang DP Switch Insert
SIN501	45A Ingot 1 Gang DP Switch With Neon Insert
SIN502	45A Ingot 2 Gang DP Switch Insert
SIN503	45A Ingot 2 Gang DP Switch With Neon Insert
SIN504	45A Ingot DP Switch With 13A DP Switched Socket Insert
SIN505	45A Ingot DP Switch With 13A DP Switched Socket & Neons Insert

Switches & Socket Cover Plates

SCP200	45A 1 Gang Switch Cover Plate
SCP201	45A 1 Gang Switch With Neon Cover Plate
SCP202	45A 2 Gang Switch Cover Plate
SCP203	45A 2 Gang Switch With Neon Cover Plate
SCP204	45A 2 Gang Switch With 13A Switched Socket Cover Plate
SCP205	45A 2 Gang Switch With 13A Switched Socket & Neons Cover Plate

Standards: SIN500 SIN501 SIN502 SIN503: BS EN 60669-1 SIN504 SIN505: BS 4177
Back Box Depth (mm): 47 **Cable Size (mm²):** 1 x 16
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D) SCP202 SCP203: 86 (W) x 146 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN020
SCP402

3 Pole Fan Isolation Switch Insert

SIN020 10A 3 Pole Fan Isolation Switch Insert

Unfurnished Plate Cover Plates

SCP402 1 Gang MiniGrid® Cover Plate - 2 Apertures

SIN022
SCP322

SIN023
SCP323

20A DP Switch With Optional Flex Outlet Inserts

SIN022 20A DP Switch Insert
SIN023 20A DP Switch With Neon Insert

20A DP Switch With Flex Outlet Cover Plates

SCP322 20A DP Switch Cover Plate
SCP323 20A DP Switch With Neon Cover Plate

SIN622
SCP422

SIN623
SCP423

20A DP Switch Without Flex Outlet Inserts

SIN622 20A DP Switch Insert
SIN623 20A DP Switch With Neon Insert

20A DP Switch Without Flex Outlet Cover Plates

SCP422 20A DP Switch Cover Plate
SCP423 20A DP Switch With Neon Cover Plate

Standards: BS EN 60669-1 020: BS EN 60669-2-4
Back Box Depth (mm): 35 020: 25 **Cable Size (mm²):** 3 x 2.5 020: 4 x 1.5 or 2 x 2.5
Dimensions (mm): 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN520
SCP402

Ingot 3 Pole Fan Isolation Switch Insert

SIN520 10A Ingot 3 Pole Fan Isolation Switch Insert

Unfurnished Plate Cover Plates

SCP402 1 Gang MiniGrid® Cover Plate - 2 Apertures

SIN522
SCP322

SIN523
SCP323

Ingot 20A DP Switch With Optional Flex Inserts

SIN522 20A Ingot DP Switch Insert
SIN523 20A Ingot DP Switch With Neon Insert

20A DP Switch With Flex Outlet Cover Plates

SCP322 20A DP Switch Cover Plate
SCP323 20A DP Switch With Neon Cover Plate

SIN722
SCP422

SIN723
SCP423

Ingot 20A DP Switch Without Flex Inserts

SIN722 20A Ingot DP Switch Insert
SIN723 20A Ingot DP Switch With Neon Insert

20A DP Switch Without Flex Outlet Cover Plates

SCP422 20A DP Switch Cover Plate
SCP423 20A DP Switch With Neon Cover Plate

Standards: BS EN 60669-1 520: BS EN 60669-2-4
Back Box Depth (mm): 35 **Cable Size (mm²):** 20A DP: 3 x 2.5 520: 4 x 1.5 or 2 x 2.5
Dimensions (mm): 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN034 SCP234

SIN038 SCP238

SIN039 SCP239

Round Pin Socket Inserts

SIN039 2A Round Pin Socket Insert
SIN038 5A Round Pin Socket Insert
SIN034 15A Round Pin Switched Socket Insert

Round Pin Socket Cover Plates

SCP239 2A Round Pin Socket Cover Plate
SCP238 5A Round Pin Socket Cover Plate
SCP234 15A Round Pin Switched Socket Cover Plate

Standards: BS 546
Back Box Depth (mm): 35 **Cable Size (mm²):** 034: 3 x 2.5 038: 4 x 1.5 or 3 x 2.5 039: 3 x 1.5
Dimensions (mm): 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN024 SCP324 SIN100 SCP100

Sink/Bath Switch With Neon Insert

SIN024 20A Sink/Bath Switch With Neon Insert

Sink & Bath Switch With Neon Cover Plate

SCP324 20A Sink/Bath Switch With Neon Cover Plate

Dual Voltage Shaver Socket Outlet Insert

SIN100 115/230V Dual Voltage Shaver Socket Insert

Dual Voltage Shaver Socket Outlet Cover Plate

SCP100 Dual Voltage Shaver Socket Cover Plate

Click® dual voltage shaver outlets incorporate a double wound isolating transformer rated 20Va at 230V or 115V and meets BS EN 61558-2-5:2010 making it safe for use in bathrooms. Shaver outlet is not continuously rated and therefore not suitable for use as a permanent charging outlet.

SIN060 SCP060

SIN061 SCP061

Blank Plate Inserts

SIN060 1 Gang Blank Plate Insert
SIN061 2 Gang Blank Plate Insert

Blank Plate Cover Plates

SCP060 1 Gang Blank Cover Plate
SCP061 2 Gang Blank Cover Plate

Standards: 024: BS EN 60669-1 100: BS EN IEC 61558-1 BS EN 61558-2-5 060 061: BS 5733
Back Box Depth (mm): 060: 16 061: 25 024: 35 100: 47 **Cable Size (mm²):** 024: 3 x 2.5 100: 2 x 1.5 or 1 x 2.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)100: 86 (W) x 146 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Television, Telephone & Data Sockets

The following pages contain details of Deco Plus® products designed to deal with handling data and media transfer through telephone, computer, television or radio.

RJ11 Outlet | UK Telephone outlets

Satellite Socket Outlets | Coaxial Sockets

Telephone & Data Sockets

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN120 | SIN125 SCP120

SIN115 SCP115

SIN121 | SIN126 SCP121

Twin outlets are 2 separate sockets and not internally linked together.

Single RJ11 Telephone Outlet Insert

SIN115	Single RJ11 (Irish/US) Outlet Insert

Telephone Outlet Inserts

SIN120	Single Telephone Outlet Insert - Master
SIN125	Single Telephone Outlet Insert - Secondary
SIN121	Twin Telephone Outlet Insert - Master
SIN126	Twin Telephone Outlet - Secondary Insert

Single RJ11 Telephone Outlet Cover Plate

SCP115	Single RJ11 Telephone Outlet Cover Plate

Telephone Outlet Cover Plates

SCP120	Single Telephone Outlet Cover Plate
SCP120	Single Telephone Outlet Cover Plate
SCP121	Twin Telephone Outlet Cover Plate
SCP121	Twin Telephone Outlet Cover Plate

Termination Type: IDC 115: Screw **Back Box Depth (mm):** 25 115: 47
Dimensions (mm): 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Satellite & Coaxial Outlets

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

SIN065 | SIN158 SCP231

SIN066 | SIN159 SCP232

SIN156 SCP231

SIN157 | SIN170 SCP232

Non-isolated Coaxial Outlet Inserts

SIN065	Single Coaxial Outlet Insert
SIN066	Twin Coaxial Outlet Insert

Coaxial & Satellite Cover Plates

SCP231	Single Coaxial Outlet Cover Plate
SCP232	Twin Coaxial Outlet Cover Plate

Isolated Coaxial Socket Inserts

SIN158	Single Isolated Coaxial Outlet Insert
SIN159	Twin Isolated Coaxial Outlet Insert

Coaxial & Satellite Cover Plates

SCP231	Single Coaxial Outlet Cover Plate
SCP232	Twin Coaxial Outlet Cover Plate

Satellite Socket Inserts

SIN156	Non-isolated Single Satellite Outlet Insert
SIN157	Isolated Satellite & Isolated Coaxial Outlet Insert
SIN170	Non-isolated Satellite & Non-isolated Coaxial Outlet Insert

Coaxial & Satellite Cover Plates

SCP231	Single Coaxial Outlet Cover Plate
SCP232	Twin Coaxial Outlet Cover Plate
SCP232	Twin Coaxial Outlet Cover Plate

Isolated outlets will filter out any interference, if a 2 way signal is required, i.e.
for use with satellite hard wire extensions, then a non-isolated outlet is required.

Back Box Depth (mm): 25
Dimensions (mm): 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

SIN310 SCP310

SIN311 SCP311

SIN312 SCP312

MM410WH MM440WH

new media™

For a complete range of New Media™ modules please see the New Media™ section of this catalogue.

Selecting from a range of module inserts covering all manner of media transfer, the installer will now be able to configure their own arrangement of TV, radio or satellite reception, plus speaker, telephone and data outlets. All modules can be inserted into single or double wall plates, fitted onto standard switch and socket boxes.

All New Media™ plates are suitable for use with standard euro module inserts.

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)

Please select one of each component:
Choose Insert (Blue Code)
then Choose Cover Plate (Orange Code)

New Media™ Unfurnished Plate Inserts

SIN310BK	1 Gang New Media™ Unfurnished Plate Insert - 1 Aperture
SIN311BK	1 Gang New Media™ Unfurnished Plate Insert - 2 Apertures
SIN312BK	2 Gang New Media™ Unfurnished Plate Insert - 4 Apertures

New Media™ Cover Plates

SCP310	1 Gang New Media™ Cover Plate - 1 Aperture
SCP311	1 Gang New Media™ Cover Plate - 2 Apertures
SCP312	2 Gang New Media™ Cover Plate - 4 Apertures

Back Box Depth (mm): Dependent On Modules Fitted
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Components Listing

Definity™ gives the flexibility to mix and match insert colours to cover plate finishes giving infinite combinations.

With a wide selection of standard and ‘ingot’ metallic inserts, simply select your design and colour of insert.

After selecting your choice of insert choose your preferred cover plate and simply clip it onto the insert to finalise the installation.

Insert Design

10AX 1 Gang
2 Way Switch

10AX 1 Gang
Intermediate
Switch

Single Plate
Single Aperture
'Unfurnished'

10AX 2 Gang
2 Way Switch

Single Plate
Twin Aperture
'Unfurnished'

Select either a Standard or Ingot Insert

Standard Insert	Standard Insert	Insert Frame Only	Standard Insert	Insert Frame Only
SIN011BK - Black	SIN025BK - Black	SIN401BK - Black	SIN012BK - Black	SIN402BK - Black
SIN011PW - White	SIN025PW - White	SIN401PW - White	SIN012PW - White	SIN402PW - White
		SIN401GY - Grey		SIN402GY - Grey
		SIN401RD - Red		SIN402RD - Red
Ingot Switch Insert	**Ingot Switch Insert**		**Ingot Switch Insert**	
SIN411BKBS Black & Brushed Stainless	SIN425BKBS Black & Brushed Stainless		SIN412BKBS Black & Brushed Stainless	
SIN411BKCH Black & Chrome	SIN425BKCH Black & Chrome		SIN412BKCH Black & Chrome	
SIN411BKSS Black & Stainless Steel	SIN425BKSS Black & Stainless Steel		SIN412BKSS Black & Stainless Steel	
SIN411PWBS White & Brushed Stainless	SIN425PWBS White & Brushed Stainless		SIN412PWBS White & Brushed Stainless	
SIN411PWCH White & Chrome	SIN425PWCH White & Chrome		SIN412PWCH White & Chrome	
SIN411PWSS White & Stainless Steel	SIN425PWSS White & Stainless Steel		SIN412PWSS White & Stainless Steel	
SIN411GYBS Grey & Brushed Stainless	SIN425GYBS Grey & Brushed Stainless		SIN412GYBS Grey & Brushed Stainless	
SIN411GYSS Grey & Stainless Steel	SIN425GYSS Grey & Stainless Steel		SIN412GYSS Grey & Stainless Steel	

Cover Plate

Single Cover Plate Single Aperture
SCP401

Available in Red (RD)

Single Cover Plate Twin Aperture
SCP402

Available in Red (RD)

Standards: BS EN 60669-1 401 402: BS 5733
Back Box Depth (mm): 25 401 402: Dependent On Modules Fitted
Cable Size (mm²): 4 x 1.5 or 2 x 2.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

10AX 3 Gang
2 Way Switch

Single Plate Triple
Aperture 'Unfurnished'

10AX 4 Gang 2 Way Switch

Double Plate (2 x 2)
Aperture 'Unfurnished'

Select either a Standard or Ingot Insert

Standard Insert	Insert Frame Only	Standard Insert	Insert Frame Only
SIN013BK - Black	SIN403BK - Black	SIN019BK - Black	SIN404BK - Black
SIN013PW - White	SIN403PW - White	SIN019PW- White	SIN404PW- White
	SIN403GY - Grey		SIN404GY - Grey
	SIN403RD - Red		
Ingot Switch Insert		**Ingot Switch Insert**	
SIN413BKBS Black & Brushed Stainless		SIN414BKBS Black & Brushed Stainless	
SIN413BKCH Black & Chrome		SIN414BKCH Black & Chrome	
SIN413BKSS Black & Stainless Steel		SIN414BKSS Black & Stainless Steel	
SIN413PWBS White & Brushed Stainless		SIN414PWBS White & Brushed Stainless	
SIN413PWCH White & Chrome		SIN414PWCH White & Chrome	
SIN413PWSS White & Stainless Steel		SIN414PWSS White & Stainless Steel	
SIN413GYBS Grey & Brushed Stainless		SIN414GYBS Grey & Brushed Stainless	
SIN413GYSS Grey & Stainless Steel		SIN414GYSS Grey & Stainless Steel	

Cover Plate

Single Cover Plate Triple Aperture
SCP403

Available in Red (RD)

Double Cover Plate (2 x 2) Aperture
SCP404

Standards: BS EN 60669-1 403 404: BS 5733
Back Box Depth (mm): 25 403 404: Dependent On Modules Fitted
Cable Size (mm²): 4 x 1.5 or 2 x 2.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

10AX 6 Gang
2 Way Switch

Double Plate
(2 x 3) Aperture
'Unfurnished'

Double Plate
(6 In-line) Aperture
'Unfurnished'

Select either a Standard or Ingot Insert

Standard Insert
SIN105BK - Black
SIN105PW - White

Ingot Switch Insert
SIN416BKBS
Black & Brushed Stainless
SIN416BKCH
Black & Chrome
SIN416BKSS
Black & Stainless Steel
SIN416PWBS
White & Brushed Stainless
SIN416PWCH
White & Chrome
SIN416PWSS
White & Stainless Steel
SIN416GYBS
Grey & Brushed Stainless
SIN416GYSS
Grey & Stainless Steel

Standard Insert
SIN406BK - Black
SIN406PW - White
SIN406GY - Grey

Standard Insert
SIN426BK - Black
SIN426PW - White
SIN426GY - Grey

Cover Plate

Double Cover Plate (2 x 3) Aperture
SCP406

Double Cover Plate (6 In-line) Aperture
SCP426

Standards: BS EN 60669-1 406 426: BS 5733
Back Box Depth (mm): 25 406 426: Dependent On Modules Fitted
Cable Size (mm²): 4 x 1.5 or 2 x 2.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

1 Gang 2 Way Rotary
Dimmer Switch

2 Gang 2 Way Rotary
Dimmer Switch

3 Gang 2 Way Rotary
Dimmer Switch

4 Gang 2 Way
Dimmer Switch

Select a Standard Insert

Dimmer Switch
SIN140
400W / Va
Suitable for dimming both resistive and inductive loads
SIN141
250W / Va
Suitable for dimming both resistive and inductive loads
SIN161
100W / Va
Suitable for dimming dimmable LED light sources

Dimmer knob supplied with cover plate

Rotary Dimmer Mounting Plate
SIN141PL
Dimmer module supplied separately

Dimmer Switch
SIN142
250W / Va
Suitable for dimming both resistive and inductive loads
SIN162
100W / Va
Suitable for dimming dimmable LED light sources

Dimmer knob supplied with cover plate

Rotary Dimmer Mounting Plate
SIN142PL
Dimmer module supplied separately

Dimmer Switch
SIN143
250W / Va
Suitable for dimming both resistive and inductive loads
SIN163
100W / Va
Suitable for dimming dimmable LED light sources

Dimmer knob supplied with cover plate

Rotary Dimmer Mounting Plate
SIN143PL
Dimmer module supplied separately

Dimmer Switch
SIN144
250W / Va
Suitable for dimming both resistive and inductive loads
SIN164
100W / Va
Suitable for dimming dimmable LED light sources

Dimmer knob supplied with cover plate

Rotary Dimmer Mounting Plate
SIN144PL
Dimmer module supplied separately

Cover Plate

1 Gang Dimmer Switch Cover Plate & Knob
SCP241

2 Gang Dimmer Switch Cover Plate & Knobs
SCP242

3 Gang Dimmer Switch Cover Plate & Knobs
SCP243

4 Gang Dimmer Switch Cover Plate & Knobs
SCP244

Standards: BS EN 60669-1 BS EN 55015 BS EN 61000-3-2 100W: BS EN 60669-2-1 250W 400W: BS EN 61000-3-3 Plates: BS 5733
Type: 250W 400W: Leading Edge, 400W: Trailing Edge **Back Box Depth (mm):** 35 **Cable Size (mm²):** 2 x 1.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black, BKCH Black with Chrome Knobs

Insert Design

10AX 1 Gang 2 Way
Toggle Switch

10AX 1 Gang Intermediate
Toggle Switch

Select a Standard Insert

Toggle Switch
SIN421CH - Chrome
SIN421PN - Pearl Nickel

Recommended Cover Plate
and Toggle Switch

Chrome Toggle:
Chrome

Pearl Nickel Toggle:
Brushed Stainless & Stainless Steel

Toggle Switch
SIN420CH - Chrome
SIN420PN - Pearl Nickel

Recommended Cover Plate
and Toggle Switch

Chrome Toggle:
Chrome

Pearl Nickel Toggle:
Brushed Stainless & Stainless Steel

Cover Plate

1 Gang Toggle Switch
Cover Plate
SCP221

Standards: BS EN 60669-1
Back Box Depth (mm): 35 Cable Size (mm²): 4 x 1.5 or 2 x 2.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

10AX 2 Gang 2 Way
Toggle Switch

10AX 3 Gang 2 Way
Toggle Switch

10AX 4 Gang 2 Way
Toggle Switch

Select a Standard Insert

Toggle Switch
SIN422CH - Chrome
SIN422PN - Pearl Nickel

Recommended Cover Plate
and Toggle Switch

Chrome Toggle:
Chrome

Pearl Nickel Toggle:
Brushed Stainless & Stainless Steel

Toggle Switch
SIN423CH - Chrome
SIN423PN - Pearl Nickel

Recommended Cover Plate
and Toggle Switch

Chrome Toggle:
Chrome

Pearl Nickel Toggle:
Brushed Stainless & Stainless Steel

Toggle Switch
SIN424CH - Chrome
SIN424PN - Pearl Nickel

Recommended Cover Plate
and Toggle Switch

Chrome Toggle:
Chrome

Pearl Nickel Toggle:
Brushed Stainless & Stainless Steel

Cover Plate

2 Gang Toggle
Switch Cover Plate
SCP222

3 Gang Toggle Switch
Cover Plate
SCP223

4 Gang Toggle Switch
Cover Plate
SCP224



Standards: BS EN 60669-1
Back Box Depth (mm): 35 Cable Size (mm²): 4 x 1.5 or 2 x 2.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

20A Double Pole Switch with Flex Outlet

20A Double Pole Switch with Flex Outlet & Neon

20A Double Pole Switch

20A Double Pole Switch with Neon

Select either a Standard or Ingot Insert

Standard Insert	Standard Insert	Standard Insert	Standard Insert
SIN022BK - Black	SIN023BK - Black	SIN622BK - Black	SIN623BK - Black
SIN022PW - White	SIN023PW - White	SIN622PW - White	SIN623PW - White
Ingot Switch Insert	**Ingot Switch Insert**	**Ingot Switch Insert**	**Ingot Switch Insert**
SIN522BKBS Black & Brushed Stainless	SIN523BKBS Black & Brushed Stainless	SIN722BKBS Black & Brushed Stainless	SIN723BKBS Black & Brushed Stainless
SIN522BKCH Black & Chrome	SIN523BKCH Black & Chrome	SIN722BKCH Black & Chrome	SIN723BKCH Black & Chrome
SIN522BKSS Black & Stainless Steel	SIN523BKSS Black & Stainless Steel	SIN722BKSS Black & Stainless Steel	SIN723BKSS Black & Stainless Steel
SIN522PWBS White & Brushed Stainless	SIN523PWBS White & Brushed Stainless	SIN722PWBS White & Brushed Stainless	SIN723PWBS White & Brushed Stainless
SIN522PWCH White & Chrome	SIN523PWCH White & Chrome	SIN722PWCH White & Chrome	SIN723PWCH White & Chrome
SIN522PWSS White & Stainless Steel	SIN523PWSS White & Stainless Steel	SIN722PWSS White & Stainless Steel	SIN723PWSS White & Stainless Steel
SIN522GYBS Grey & Brushed Stainless	SIN523GYBS Grey & Brushed Stainless	SIN722GYBS Grey & Brushed Stainless	SIN723GYBS Grey & Brushed Stainless
SIN522GYSS Grey & Stainless Steel	SIN523GYSS Grey & Stainless Steel	SIN722GYSS Grey & Stainless Steel	SIN723GYSS Grey & Stainless Steel

Cover Plate

20A DP Switch with Flex Outlet Cover Plate	20A DP Switch with Flex Outlet & Neon Cover Plate	20A DP Switch Cover Plate	20A DP Switch with Neon Cover Plate
SCP322	SCP323	SCP422	SCP423

Standards: BS EN 60669-1
Back Box Depth (mm): 35 **Cable Size (mm²):** 3 x 2.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - **Definity™ Cover Plate Prefix** 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

20A Sink & Bath Switch with Neon

10A 3 Pole Fan Isolation Switch

Lockable Switch

Select either a Standard or Ingot Insert

Standard Insert	Standard Insert	Standard Insert
SIN024BK - Black	SIN020BK- Black	SIN660BK - Black
SIN024PW - White	SIN020PW - White	
	Ingot Switch Insert	
	SIN520BKBS Black & Brushed Stainless	
	SIN520BKCH Black & Chrome	
	SIN520BKSS Black & Stainless Steel	
	SIN520PWBS White & Brushed Stainless	
	SIN520PWCH White & Chrome	
	SIN520PWSS White & Stainless Steel	
	SIN520GYBS Grey & Brushed Stainless	
	SIN520GYSS Grey & Stainless Steel	

Cover Plate

20A Sink & Bath Switch with Neon Cover Plate	10A Fan Isolation Switch Cover Plate	Lockable Switch Cover Plate
SCP324	SCP402	SCP660
	Available in Red (RD)	

Standards: BS EN 60669-2-4 020 660: BS EN 60669-1
Back Box Depth (mm): 520: 25 024: 35 660: 47
Cable Size (mm²): 020 520: 4 x 1.5 or 2 x 2.5 024: 3 x 2.5 660: 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - **Definity™ Cover Plate Prefix** 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

Lockable Socket

UK 13A 1 Gang Socket Outlet

115/230V Dual Voltage Shaver Socket Outlet

Select a Standard Insert

Standard Insert
SIN655BK - Black
SIN655PW - White
SIN655GY - Grey

Standard Insert
SIN630BK- Black
SIN630PW - White

Standard Insert
SIN100BK - Black
SIN100PW - White
SIN100GY - Grey

Click® dual voltage shaver outlets incorporate a double wound isolating transformer rated 20Va at 230V or 115V and meets BS EN 61558-2-5:2010 making it safe for use in bathrooms. Shaver outlet is not continuously rated and therefore not suitable for use as a permanent charging outlet.

Cover Plate

Lockable Socket Cover Plate
SCP655

UK 13A 1 Gang Socket Outlet Cover Plate
SCP430

Dual Voltage Shaver Socket Outlet Cover Plate
SCP100

Standards: 100: BS EN IEC 61558-1 BS EN 61558-2-5 630: BS 1363-2 655: BS EN 60669-1 BS 1363-2
Cable Size (mm²): 3 x 2.5 or 2 x 4 100: 2 x 1.5 or 1 x 2.5 **Back Box Depth (mm):** 47 630: 35
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D) 100: 86 (W) x 146 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

2A 1 Gang Round Pin Socket Outlet

5A 1 Gang Round Pin Socket Outlet

15A 1 Gang Round Pin Switched Socket Outlet

Select a Standard Insert

Standard Insert
SIN039BK- Black
SIN039PW - White

Standard Insert
SIN038BK - Black
SIN038PW - White
SIN038GY - Grey

Standard Insert
SIN034BK - Black
SIN034PW - White

Cover Plate

2A 1 Gang Round Pin Socket Outlet Cover Plate
SCP239

5A 1 Gang Round Pin Socket Outlet Cover Plate
SCP238

15A 1 Gang Round Pin Switched Socket Outlet Cover Plate
SCP234

Standards: BS 546
Back Box Depth (mm): 35
Cable Size (mm²): 034: 3 x 2.5 038: 4 x 1.5 or 3 x 2.5 039: 3 x 1.5 660: 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

UK 13A 1 Gang Double Pole
Switched Socket Outlet

UK 13A 2 Gang Double Pole
Switched Socket Outlet

Select either a Standard or Ingot Insert

Standard Insert
SIN035BK- Black
SIN035PW - White

Ingot Switch
Insert
SIN535BKBS
Black & Brushed Stainless
SIN535BKCH
Black & Chrome
SIN535BKSS
Black & Stainless Steel
SIN535GYBS
White & Brushed Stainless
SIN535PWCH
White & Chrome
SIN535PWSS
White & Stainless Steel
SIN535PWBS
Grey & Brushed Stainless
SIN535GYSS
Grey & Stainless Steel

Standard Insert
SIN036BK - Black
SIN036PW - White
SIN036RD - Red

Ingot Switch
Insert
SIN536BKBS
Black & Brushed Stainless
SIN536BKCH
Black & Chrome
SIN536BKSS
Black & Stainless Steel
SIN536PWBS
White & Brushed Stainless
SIN536PWCH
White & Chrome
SIN536PWSS
White & Stainless Steel
SIN536GYBS
Grey & Brushed Stainless
SIN536GYSS
Grey & Stainless Steel

Cover Plate

UK 13A 1 Gang Switched
Socket Outlet Cover Plate
SCP435

UK 13A 2 Gang Switched
Socket Outlet Cover Plate
SCP436

Available in Red (RD)

Standards: BS 1363-2
Back Box Depth (mm): 35 Cable Size (mm²): 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Safety Shutter Sockets (Excluding USB options) are only available for sale in the Republic of Ireland.

Insert Design

13A 1 Gang DP Switched Safety
Shutter Socket Outlet Insert

13A 2 Gang DP Switched Safety Shutter
Socket Outlet (Twin Earth) Insert

Select either a Standard or Ingot Insert

Standard Insert
SIN1035BK - Black
SIN1035PW - White

Ingot Switch
Insert
SIN1535BKBS
Black & Brushed Stainless
SIN1535BKCH
Black & Chrome
SIN1535BKSS
Black & Stainless Steel
SIN1535PWBS
White & Brushed Stainless
SIN1535PWCH
White & Chrome
SIN1535PWSS
White & Stainless Steel

Standard Insert
SIN1036BK - Black
SIN1036PW - White

Ingot Switch
Insert
SIN1536BKBS
Black & Brushed Stainless
SIN1536BKCH
Black & Chrome
SIN1536BKSS
Black & Stainless Steel
SIN1536PWBS
White & Brushed Stainless
SIN1536PWCH
White & Chrome
SIN1536PWSS
White & Stainless Steel

Cover Plate

13A 1 Gang Switched Safety
Shutter Socket Cover Plate
SCP835

13A 2 Gang Switched Socket
Cover Plate
SCP436

Available in Red (RD)

Standards: BS 1363-2
Back Box Depth (mm): 35 Cable Size (mm²): 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Safety Shutter Sockets (Excluding USB options) are only available for sale in the Republic of Ireland.

Insert Design

13A 2 Gang DP Switched Safety Shutter Socket Outlet With Outboard Rockers (Twin Earth) Insert

13A 2 Gang DP Switched Safety Shutter Socket Outlet With Outboard Rockers & Neons (Twin Earth) Insert

UK 13A 1 Gang Switched Socket Outlet with 2.1A USB Outlet

Select either a Standard or Ingot Insert

Standard Insert
SIN1836BK- Black
SIN1836PW - White

Ingot Switch Insert
SIN1836BKBS
Black & Brushed Stainless
SIN1836BKCH
Black & Chrome
SIN1836BKSS
Black & Stainless Steel
SIN1836PWBS
White & Brushed Stainless
SIN1836PWCH
White & Chrome
SIN1836PWSS
White & Stainless Steel

Standard Insert
SIN1840BK - Black
SIN1840PW - White

Standard Insert
SIN771UBK - Black
SIN771UPW - White

Ingot Switch Insert
SIN571UBKBS
Black & Brushed Stainless
SIN571UBKCH
Black & Chrome
SIN571UBKSS
Black & Stainless Steel
SIN571UPWBS
White & Brushed Stainless
SIN571UPWCH
White & Chrome
SIN571UPWSS
White & Stainless Steel
SIN571UGYBS
Grey & Brushed Stainless
SIN571UGYSS
Grey & Stainless Steel

Cover Plate

13A 2 Gang Outboard Switched Safety Shutter Socket Cover Plate



SCP840

UK 13A 1 Gang Switched Socket Outlet with 2.1A USB Outlet Cover Plate

SCP471U

Standards: BS 1363-2 771U: BS 1363-2: 2016 +A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1
Back Box Depth (mm): 35 Cable Size (mm²): 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Safety Shutter Sockets (Excluding USB options) are only available for sale in the Republic of Ireland.

Insert Design

UK 13A 2 Gang Switched Socket Outlet with 2.1A USB Outlet

UK 13A 2 Gang Switched Socket Outlet with Twin 2.1A USB Outlets

13A 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Outlets (Twin Earth) Insert

Select either a Standard or Ingot Insert

Standard Insert
SIN770BK - Black
SIN770PW - White

Ingot Switch Insert
SIN570BKBS
Black & Brushed Stainless
SIN570BKCH
Black & Chrome
SIN570BKSS
Black & Stainless Steel
SIN570PWBS
White & Brushed Stainless
SIN570PWCH
White & Chrome
SIN570PWSS
White & Stainless Steel

Standard Insert
SIN780BK - Black
SIN780PW - White

Ingot Switch Insert
SIN580BKBS
Black & Brushed Stainless
SIN580BKCH
Black & Chrome
SIN580BKSS
Black & Stainless Steel
SIN580PWBS
White & Brushed Stainless
SIN580PWCH
White & Chrome
SIN580PWSS
White & Stainless Steel
SIN580GYBS
Grey & Brushed Stainless
SIN580GYSS
Grey & Stainless Steel

Standard Insert
SIN786BK - Black
SIN786PW - White

Ingot Switch Insert
SIN586BKBS
Black & Brushed Stainless
SIN586BKCH
Black & Chrome
SIN586BKSS
Black & Stainless Steel
SIN586PWBS
White & Brushed Stainless
SIN586PWCH
White & Chrome
SIN586PWSS
White & Stainless Steel
SIN586GYBS
Grey & Brushed Stainless
SIN586GYSS
Grey & Stainless Steel

Cover Plate

UK 13A 2 Gang Switched Socket Outlet with 2.1A USB Outlet Cover Plate

SCP470

UK 13A 2 Gang Switched Socket Outlet with Twin 2.1A USB Outlets Cover Plate

SCP480

UK 13A 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Cover Plate

SCP486

Standards: BS 1363-2: 2016 +A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1
Back Box Depth (mm): 35 Cable Size (mm²): 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

13A Fused Connection Unit with Flex Outlet

13A Fused Connection Unit Double Pole Switched with Flex Outlet

13A Fused Connection Unit Double Pole Switched with Flex Outlet & Neon

13A Fused Connection Unit with Flex Outlet & Neon

Select either a Standard or Ingot Insert

Standard Insert	Standard Insert	Standard Insert	Standard Insert
SIN050BK - Black	SIN051BK - Black	SIN052BK - Black	SIN053BK - Black
SIN050PW - White	SIN051PW - White	SIN052PW - White	SIN053PW - White
Ingot Switch Insert	Ingot Switch Insert	Ingot Switch Insert	Ingot Switch Insert
SIN550BKBS Black & Brushed Stainless	SIN551BKBS Black & Brushed Stainless	SIN552BKBS Black & Brushed Stainless	SIN553BKBS Black & Brushed Stainless
SIN550BKCH Black & Chrome	SIN551BKCH Black & Chrome	SIN552BKCH Black & Chrome	SIN553BKCH Black & Chrome
SIN550BKSS Black & Stainless Steel	SIN551BKSS Black & Stainless Steel	SIN552BKSS Black & Stainless Steel	SIN553BKSS Black & Stainless Steel
SIN550PWBS White & Brushed Stainless	SIN551PWBS White & Brushed Stainless	SIN552PWBS White & Brushed Stainless	SIN553PWBS White & Brushed Stainless
SIN550PWCH White & Chrome	SIN551PWCH White & Chrome	SIN552PWCH White & Chrome	SIN553PWCH White & Chrome
SIN550PWSS White & Stainless Steel	SIN551PWSS White & Stainless Steel	SIN552PWSS White & Stainless Steel	SIN553PWSS White & Stainless Steel
SIN550GYBS Grey & Brushed Stainless	SIN551GYBS Grey & Brushed Stainless	SIN552GYBS Grey & Brushed Stainless	SIN553GYBS Grey & Brushed Stainless
SIN550GYSS Grey & Stainless Steel	SIN551GYSS Grey & Stainless Steel	SIN552GYSS Grey & Stainless Steel	SIN553GYSS Grey & Stainless Steel

Cover Plate

13A FCU with Flex Outlet Cover Plate	13A FCU Switched with Flex Outlet Cover Plate	13A FCU Switched with Flex Outlet & Neon Cover Plate	13A FCU with Flex Outlet & Neon Cover Plate
SCP150	SCP151	SCP152	SCP153

Standards: BS 1363-4 BS 1362
Back Box Depth (mm): 35 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

13A Fused Connection Unit

13A Fused Connection Unit, Double Pole Switched

13A Fused Connection Unit, Double Pole Switched with Neon

13A Fused Connection Unit with Neon

Select either a Standard or Ingot Insert

Standard Insert	Standard Insert	Standard Insert	Standard Insert
SIN650BK - Black	SIN651BK - Black	SIN652BK - Black	SIN653BK - Black
SIN650PW - White	SIN651PW - White	SIN652PW - White	SIN653PW - White
Ingot Switch Insert	Ingot Switch Insert	Ingot Switch Insert	Ingot Switch Insert
SIN750BKBS Black & Brushed Stainless	SIN751BKBS Black & Brushed Stainless	SIN752BKBS Black & Brushed Stainless	SIN753BKBS Black & Brushed Stainless
SIN750BKCH Black & Chrome	SIN751BKCH Black & Chrome	SIN752BKCH Black & Chrome	SIN753BKCH Black & Chrome
SIN750BKSS Black & Stainless Steel	SIN751BKSS Black & Stainless Steel	SIN752BKSS Black & Stainless Steel	SIN753BKSS Black & Stainless Steel
SIN750PWBS White & Brushed Stainless	SIN751PWBS White & Brushed Stainless	SIN752PWBS White & Brushed Stainless	SIN753PWBS White & Brushed Stainless
SIN750PWCH White & Chrome	SIN751PWCH White & Chrome	SIN752PWCH White & Chrome	SIN753PWCH White & Chrome
SIN750PWSS White & Stainless Steel	SIN751PWSS White & Stainless Steel	SIN752PWSS White & Stainless Steel	SIN753PWSS White & Stainless Steel
SIN750GYBS Grey & Brushed Stainless	SIN751GYBS Grey & Brushed Stainless	SIN752GYBS Grey & Brushed Stainless	SIN753GYBS Grey & Brushed Stainless
SIN750GYSS Grey & Stainless Steel	SIN751GYSS Grey & Stainless Steel	SIN752GYSS Grey & Stainless Steel	SIN753GYSS Grey & Stainless Steel

Cover Plate

13A FCU Cover Plate	13A FCU Switched Cover Plate	13A FCU Switched with Neon Cover Plate	13A FCU with Neon Cover Plate
SCP250	SCP251	SCP252	SCP253

Standards: BS 1363-4 BS 1362
Back Box Depth (mm): 35 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

13A Fused Connection Unit with Flex Outlet

13A Fused Connection Unit, Double Pole Switched with Flex Outlet

13A Fused Connection Unit, Double Pole Switched with Flex Outlet & Neon

13A Fused Connection Unit with Flex Outlet & Neon

Select a Standard Insert

Lockable	Lockable	Lockable	Lockable
Standard Insert	Standard Insert	Standard Insert	Standard Insert
SIN250BK - Black	SIN251BK - Black	SIN252BK - Black	SIN253BK - Black
SIN250PW - White	SIN251PW - White	SIN252PW - White	SIN253PW - White

Cover Plate

13A FCU with Flex Outlet Cover Plate	13A FCU Switched with Flex Outlet Cover Plate	13A FCU Switched with Flex Outlet & Neon Cover Plate	13A FCU with Flex Outlet & Neon Cover Plate
SCP350	SCP351	SCP352	SCP353
Available in Red (RD)	Available in Red (RD)		

Standards: BS 1363-4 BS 1362
Back Box Depth (mm): 35 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

13A Fused Connection Unit

13A Fused Connection Unit, Double Pole Switched

13A Fused Connection Unit, Double Pole Switched with Neon

13A Fused Connection Unit with Neon

Select a Standard Insert

Lockable	Lockable	Lockable	Lockable
Standard Insert	Standard Insert	Standard Insert	Standard Insert
SIN850BK - Black	SIN851BK - Black	SIN852BK - Black	SIN853BK - Black
SIN850PW - White	SIN851PW - White	SIN852PW - White	SIN853PW - White

Cover Plate

13A FCU Cover Plate	13A FCU Switched Cover Plate	13A FCU Switched with Neon Cover Plate	13A FCU with Neon Cover Plate
SCP450	SCP451	SCP452	SCP453

Standards: BS 1363-4 BS 1362
Back Box Depth (mm): 35 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

3A Fused Connection Unit with Flex Outlet

3A Fused Connection Unit Double Pole Switched with Flex Outlet

45A Double Pole Switch (Single Plate)

45A Double Pole Switch with Neon (Single Plate)

Select either a Standard or Ingot Insert

3A Fused Connection Unit with Flex Outlet	3A Fused Connection Unit Double Pole Switched with Flex Outlet	45A Double Pole Switch (Single Plate)	45A Double Pole Switch with Neon (Single Plate)
Lockable	Lockable	Standard Insert	Standard Insert
Standard Insert	Standard Insert	SIN200BK - Black	SIN201BK - Black
SIN249RD - Red	SIN256RD - Red	SIN200PW - White	SIN201PW - White
		Ingot Switch Insert	Ingot Switch Insert
		SIN500BKBS Black & Brushed Stainless	SIN501BKBS Black & Brushed Stainless
		SIN500BKCH Black & Chrome	SIN501BKCH Black & Chrome
		SIN500BKSS Black & Stainless Steel	SIN501BKSS Black & Stainless Steel
		SIN500PWBS White & Brushed Stainless	SIN501PWBS White & Brushed Stainless
		SIN500PWCH White & Chrome	SIN501PWCH White & Chrome
		SIN500PWSS White & Stainless Steel	SIN501PWSS White & Stainless Steel
		SIN500GYBS Grey & Brushed Stainless	SIN501GYBS Grey & Brushed Stainless
		SIN500GYSS Grey & Stainless Steel	SIN501GYSS Grey & Stainless Steel

Cover Plate

13A FCU with Flex Outlet Cover Plate	13A FCU Switched with Flex Outlet Cover Plate	45A Switch Cover Plate	45A Switch with Neon Cover Plate
SCP350	SCP351	SCP200	SCP201
Available in Red (RD)	Available in Red (RD)		

Standards: BS EN 60669-1 249 256: BS 1363-4 BS 1362
Back Box Depth (mm): 47 249 256: 35 **Cable Size (mm²):** 1 x 16 249 256: 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

45A Double Pole Switch (Vertical Double Plate)

45A Double Pole Switch with Neon (Vertical Double Plate)

45A Double Pole Switch with 13A Double Pole Switched Socket Outlet

45A Double Pole Switch with 13A Double Pole Switched Socket Outlet & Neons

Select either a Standard or Ingot Insert

45A Double Pole Switch (Vertical Double Plate)	45A Double Pole Switch with Neon (Vertical Double Plate)	45A Double Pole Switch with 13A Double Pole Switched Socket Outlet	45A Double Pole Switch with 13A Double Pole Switched Socket Outlet & Neons
Standard Insert	Standard Insert	Standard Insert	Standard Insert
SIN202BK - Black	SIN203BK - Black	SIN204BK - Black	SIN205BK - Black
SIN202PW - White	SIN203PW - White	SIN204PW - White	SIN205PW - White
Ingot Switch Insert	Ingot Switch Insert	Ingot Switch Insert	Ingot Switch Insert
SIN502BKBS Black & Brushed Stainless	SIN503BKBS Black & Brushed Stainless	SIN504BKBS Black & Brushed Stainless	SIN505BKBS Black & Brushed Stainless
SIN502BKCH Black & Chrome	SIN503BKCH Black & Chrome	SIN504BKCH Black & Chrome	SIN505BKCH Black & Chrome
SIN502BKSS Black & Stainless Steel	SIN503BKSS Black & Stainless Steel	SIN504BKSS Black & Stainless Steel	SIN505BKSS Black & Stainless Steel
SIN502PWBS White & Brushed Stainless	SIN503PWBS White & Brushed Stainless	SIN504PWBS White & Brushed Stainless	SIN505PWBS White & Brushed Stainless
SIN502PWCH White & Chrome	SIN503PWCH White & Chrome	SIN504PWCH White & Chrome	SIN505PWCH White & Chrome
SIN502PWSS White & Stainless Steel	SIN503PWSS White & Stainless Steel	SIN504PWSS White & Stainless Steel	SIN505PWSS White & Stainless Steel
SIN502GYBS Grey & Brushed Stainless	SIN503GYBS Grey & Brushed Stainless	SIN504GYBS Grey & Brushed Stainless	SIN505GYBS Grey & Brushed Stainless
SIN502GYSS Grey & Stainless Steel	SIN503GYSS Grey & Stainless Steel	SIN504GYSS Grey & Stainless Steel	SIN505GYSS Grey & Stainless Steel

Cover Plate

45A Switch Vertical Double Cover Plate	45A Switch Vertical Double Cover Plate with Neon	45A Switch with Switch Socket Outlet Cover Plate	45A Switch with Switch Socket Outlet with Neons Cover Plate
SCP202	SCP203	SCP204	SCP205

Standards: BS EN 60669-1 204 205 504 505: BS 4177
Back Box Depth (mm): 47 **Cable Size (mm²):** 1 x 16
Dimensions (mm): 2 Gang: 146 (W) x 86 (H) x 4 (D) 202 203: 86 (W) x 146 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

1 Gang
Blank Plate

2 Gang
Blank Plate

Single RJ11 Telephone
Outlet (US/Irish)

Select a Standard Insert

Standard Insert
SIN060BK - Black
SIN060PW - White

Standard Insert
SIN061BK - Black
SIN061PW - White

Standard Insert
SIN115BK - Black
SIN115PW - White

Cover Plate

1 Gang Blank
Cover Plate
SCP060

2 Gang Blank
Cover Plate
SCP061

Single RJ11 Socket Outlet
Cover Plate
SCP115

Standards: 060 061: BS 5733
Back Box Depth (mm): 060: 16 061: 25 115: 47 **Termination Type:** 115: Screw
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

Single Telephone
Master

Single Telephone
Secondary

Twin Telephone
Master

Twin Telephone
Secondary

Select a Standard Insert

Standard Insert
SIN120BK - Black
SIN120PW - White

Standard Insert
SIN125BK - Black
SIN125PW - White

Standard Insert
SIN121BK - Black
SIN121PW - White

Standard Insert
SIN126BK - Black
SIN126PW - White

Cover Plate

Single Telephone Outlet Cover Plate
SCP120

Twin Telephone Outlet Cover Plate
SCP121

Back Box Depth (mm): 25 **Termination Type:** IDC
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

Single Coaxial Socket Outlet (Unshielded)

Single 'Isolated' Coaxial Socket Outlet (Unshielded)

Single Satellite 'F' Outlet (Unshielded)

Select a Standard Insert

Standard Insert	Standard Insert	Standard Insert
SIN065BK - Black	SIN158BK - Black	SIN156BK - Black
SIN065PW - White	SIN158PW - White	SIN156PW - White

Cover Plate

Single Coaxial / Satellite Outlet Cover Plate

SCP231

Back Box Depth (mm): 25
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

Twin Coaxial Socket Outlet (Unshielded)

Twin 'Isolated' Coaxial Socket Outlet (Unshielded)

'Isolated' Coaxial & Satellite 'F' Socket Outlet (Unshielded)

'Non-Isolated' Coaxial & Satellite 'F' Socket Outlet (Unshielded)

Select a Standard Insert

Standard Insert	Standard Insert	Standard Insert	Standard Insert
SIN066BK - Black	SIN159BK - Black	SIN157BK- Black	SIN170BK- Black
SIN066PW - White	SIN159PW - White	SIN157PW- White	SIN170PW - White

Cover Plate

Twin Coaxial / Satellite Outlet Cover Plate

SCP232

Back Box Depth (mm): 25
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

Insert Design

Single Plate
Single New Media™
Module Aperture

Single Plate
Twin New Media™
Module Aperture

Double Plate
Quad New Media™
Module Aperture

Select a Standard Insert

Standard Insert
SIN310BK

Standard Insert
SIN311BK

Standard Insert
SIN312BK

Cover Plate

Single Plate Single
New Media™ Module
Aperture Cover Plate
SCP310

Single Plate Twin
New Media™ Module
Aperture Cover Plate
SCP311

Double Plate Quad
New Media™ Module
Aperture Cover Plate
SCP312

Back Box Depth (mm): Dependent On Modules Fitted
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Black

WA092

WA094

WA095

SP640

WA099



WA102

For the complete range of back boxes see Essentials™ page N4.

essentials™

Galvanised Steel Back Boxes

WA092	1 Gang 16mm Deep Galvanised Steel K.O. Box
WA093	1 Gang 25mm Deep Galvanised Steel K.O. Box
WA094	2 Gang 25mm Deep Galvanised Steel K.O. Box
WA095	1 Gang 35mm Deep Galvanised Steel K.O. Box
WA096	2 Gang 35mm Deep Galvanised Steel K.O. Box
WA097	1 Gang 47mm Deep Galvanised Steel K.O. Box
WA098	2 Gang 47mm Deep Galvanised Steel K.O. Box
WA099	1 + 1 35mm Deep Dual Accessory Box
WA102	1 + 2 35mm Deep Dual Accessory Box

Longer Fixing Screws

SP640BN	Define® 3.5mm Dia. 40mm Long Screws (Bag 100)
SP640CH	Define® 3.5mm Dia. 40mm Long Screws (Bag 100)

Standards: BS 4662 640: ISO 2010
Dimensions (mm): 092: 70 (W) x 70 (H) x 16 (D) 093: 70 (W) x 70 (H) x 25 (D) 094: 135 (W) x 70 (H) x 25 (D)
095: 70 (W) x 70 (H) x 35 (D) 096: 135 (W) x 70 (H) x 35 (D) 097: 70 (W) x 70 (H) x 47 (D) 098: 135 (W) x 70 (H) x 47 (D)
099: 158 (W) x 74 (H) x 35 (D) 102: 220 (W) x 74 (H) x 35 (D)

WA4247

WA106P

WA107P

GA100

FlameGuard® Dry Lining Boxes

WA4135	1 Gang 35mm Deep FlameGuard® Dry Lining Box
WA4147	1 Gang 47mm Deep FlameGuard® Dry Lining Box
WA4235	2 Gang 35mm Deep FlameGuard® Dry Lining Box
WA4247	2 Gang 47mm Deep FlameGuard® Dry Lining Box

Dry Lining Boxes (Sprung Fixing Lugs)

WA087SF	1 Gang 35mm Deep Dry Lining Box
WA088SF	2 Gang 35mm Deep Dry Lining Box
WA106SF	1 Gang 47mm Deep Dry Lining Box
WA107SF	2 Gang 47mm Deep Dry Lining Box

Dry Lining Boxes

WA087P	1 Gang 35mm Deep Dry Lining Box
WA088P	2 Gang 35mm Deep Dry Lining Box
WA106P	1 Gang 47mm Deep Dry Lining Box
WA107P	2 Gang 47mm Deep Dry Lining Box
WA108P	Round Ceiling 34mm Deep Dry Lining Box

Ezylink' Dry Lining Boxes

GA100 'Ezylink' Dry Lining Box Connector
Suitable for use with WA087P, WA088P, WA106P & WA107P.

essentials™

For the complete range of back boxes see Essentials™ page N4.
For the complete range of longer fixing screws see Essentials™ page N9.

Dimensions (mm): 095:94.3 (W) x 94.3 (H) x 11 (D)096: 152.3 (W) x 94.3 (H) x 11 (D)

FlameGuard® back boxes have been tested and conform to both fire and acoustic BS EN standards. Fire: BS EN 1364-1 Acoustic: BS EN ISO 140-2. Complies with Building Regulations Fire tested up to 90 minutes with the cabability of the boxes being mounted back to back.