



New Media™
Plates & Modules

new
media™




Solutions for all Manner of Media Cabling Problems

The modern home is now more than a mere home. It doubles up occasionally as a cinema, concert hall, meeting venue and computer room etc.. Each of these functions brings with it its own unique requirements in terms of the provision of necessary services such as telephone or satellite sockets etc.

Even in recent memory designers and builders did not think beyond providing a perfunctory level of electrical switches, sockets and pendant light fittings in a new home. Nowadays, as well as providing an ever increasing number of these items, provision must be made for the myriad different electrical and electronic products which proliferate our homes.


Traditionally, products such as telephone and TV coaxial sockets etc. have all been supplied built into a standard size wall plate. The environment in today's office and home however requires a number of services to be provided to a specific work station or convenient access point. The most flexible and efficient means of doing this is the use of modules on a multiple aperture plate.

The New Media™ range illustrated in the following pages encompasses a wide range of media and power modules, providing the designer and installer a host of solutions for all manner of media cabling problems.



MP 608 SC BK
Plate Style Product Number Plate Finish Insert Finish
(if applicable)

New Media™ plates featured in the pages of this brochure are available in a variety of 10 distinctive quality finishes: Antique Brass*, Polished Brass, Polished Chrome*, Satin Chrome*, Satin Brass*, Black Nickel, Pearl Nickel, Brushed Stainless*, Stainless Steel and Polar White.



Contents

New Media™ Plates	L5
Deco Plus® Unfurnished Plates	L9
Deco® Unfurnished Plates	L10
Define® Unfurnished Plates	L11
Definity™ Unfurnished Plates	L12
Mode® Unfurnished Plates	L13
Part M™ Unfurnished Plates	L13
Polar™ Unfurnished Plates	L13
Metal Clad Unfurnished Plates	L14
New Media™ Modules	L16
Typical Sky+ Installation	L24
Typical Sky+ HD Installation	L25
Technical Details	L26

New Media™ unique product codes

When ordering any New Media™ plates, please specify the required finish by following the simple code structure as demonstrated here.

New Media™ Plates

The brief given to our designers charged with the task of developing the New Media™ range was to produce a comprehensive yet flexible and user friendly 'system' which enables the installer to easily create topical media and power cabling solutions.

All of the modules featured in this brochure are of the standard euro grid configuration based on 1 aperture modules of 25 x 50mm. Mounting plates are available as wall or floor plates and can accommodate 1 - 16 modules according to requirements.

Instead of numerous unsightly individual sockets, a single New Media™ plate can be used at a convenient point to bring together any combination of media modules. The individual modules are available in black or white finish and are suitable for mounting on blank plates from selected accessory ranges, namely the Polar™ and Mode® moulded accessory ranges, the Click® metal clad range plus the Deco Plus®, Deco®, Define® and Definity™ decorative metal ranges.



New Media™ Plates



The furnished plates illustrated here contain 6 x 1 aperture and 1 x 2 aperture media modules (left) and 4 x 2 aperture 13A socket outlet modules (right).



MP508



MP608

Small Unfurnished Front Plates - 8 Apertures

- MP508AB** Small New Media™ Unfurnished Front Plate - 8 Apertures - Antique Brass
- MP508BR** Small New Media™ Unfurnished Front Plate - 8 Apertures - Polished Brass
- MP508PN** Small New Media™ Unfurnished Front Plate - 8 Apertures - Pearl Nickel
- MP508SB** Small New Media™ Unfurnished Front Plate - 8 Apertures - Satin Brass

Requires MP520 flush back box and MP510 Yoke. LB.

Small New Media™ Unfurnished Front Plate & Yoke - 8 Apertures

- CMA608** Small New Media™ Unfurnished Front Plate & Yoke - 8 Apertures - White
- MP608**** Small New Media™ Unfurnished Front Plate & Yoke - 8 Apertures

**Finishes available BN, CH, SC, SS, PW

Standards: BS 5733
 Back Box Depth (mm): MP520 (47)
 Dimensions (mm): 250 (W) x 87 (H) x 8 (D) CMA608: 248 (W) x 86 (H) x 9.5 (D)

Understanding the code:
 MP - Plate Style 508 - Product No. BN - Insert Colour. AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, PN Pearl Nickel, BS Brushed Stainless, SS Stainless Steel, PW Polar White



MP516



MP616



The furnished plate illustrated above contains 8 single New Media™ modules (top row) and 4 twin width socket outlet modules (bottom row).

MP516 - The yoke 'MP510' (x2) is required to mount the media modules into prior to assembling the frontplate, see page L8.

Back box MP525 or MP535 is required, see page L8.

Large Unfurnished Front Plates - 2 x 8 Apertures

- MP516AB** Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Antique Brass
- MP516BN** Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Black Nickel
- MP516BR** Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Polished Brass
- MP516BS** Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Brushed Stainless
- MP516CH** Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Polished Chrome
- MP516PN** Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Pearl Nickel
- MP516SS** Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Stainless Steel

Large New Media™ Unfurnished Front Plate & Yoke - 2 x 8 Apertures

- CMA616** Large New Media™ Unfurnished Front Plate & Yokes - 2 x 8 Apertures - White
- MP616**** Large New Media™ Unfurnished Front Plate & Yoke - 2 x 8 Apertures

**Finishes available: AB, BN, BR, BS, CH, PN, PW, SB, SC, SS

Standards: BS 5733
 Back Box Depth (mm): MP535 (35) Or MP525 (47)
 Dimensions (mm): 250 (W) x 216 (H) x 8 (D) 616: 248 (W) x 214 (H) x 9.5 (D)

Understanding the code:
 MP - Plate Style 508 - Product No. **BN** - Plate Finish. AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, PN Pearl Nickel, BS Brushed Stainless, SS Stainless Steel, PW Polar White



MP603SCBK




MP603CHWH

Half New Media Semi-Modular Part Furnished Plate

- CMA603** Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
- MP603CHWH** Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
- MP603PW** Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
- MP603SCWH** Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
- MP603CHBK** Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
- MP603SBBK** Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
- MP603SCBK** Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures

Supplied with 2 x 13A switched sockets. Back box MP520 required, see following page.



MP606CHBK



MP606SCWH

Available in Chrome (CH), Satin Chrome (SC) and Polar White (PW).
 Product is supplied with 4 x 13A DP switched sockets. Back box MP525 or MP535 required, see following page.

2 Tier Semi-Modular Unfurnished Plates

- CMA606** Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
- MP606CHBK** Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
- MP606CHWH** Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
- MP606SCBK** Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
- MP606SCWH** Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures

Standards: BS 1363-2
 Back Box Depth (mm): 603: MP520 (47) 606: MP535 (35) Or MP525 (47) Cable Size (mm²): 3 x 2.5 or 2 x 4
 Dimensions (mm): 603: 250 (W) x 86 (H) x 8 (D) 606: 250 (W) x 216 (H) x 8 (D)


Understanding the code:
 MP - Plate Style 508 - Product No. **BN** - Plate Finish. **BK** - Insert Finish.
 SB Satin Brass, CH Polished Chrome, SC Satin Chrome, PW Polar White



MP510



MP520



MP525 | MP535

Yoke

MP510 New Media™ Yoke - 8 Apertures

Divider Plates

MP521 Divider Plate 47mm Deep for MP520 (76mm x 44mm)

MP526 Divider Plate 47mm Deep for MP525 (93mm x 44mm)

MP536 Divider Plate 35mm Deep for MP535

Back Boxes

MP520 47mm Deep New Media™ Back Box - 8 Apertures

MP525 47mm Deep New Media™ Back Box With Central Divider - 2 x 8 Apertures

MP535 35mm Deep New Media™ Back Box With Central Divider - 2 x 8 Apertures

Galvanised steel back boxes supplied for flush mounting of Media Plates. Mounting yoke facilitates pre-assembly of required modules. Fitted with twin earth terminals. Divider plates can be installed as necessary in order to screen sensitive modules.



Unfurnished Plates - New Media™

310 1 Gang New Media™ Unfurnished Plate - 1 Aperture

311 1 Gang New Media™ Unfurnished Plate - 2 Apertures

312 2 Gang New Media™ Unfurnished Plate - 4 Apertures

Standards: BS 5733

Back Box Depth (mm): Dependent On Modules Fitted

Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code:

DP - Plate Style BN - Plate Finish 536 - Product No.

AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

Standards: 510 520: BS 5733
 Cutout (mm): 520: 225 (W) x 75 (H) 525 535: 225 (W) x 194 (H)
 Dimensions (mm): 510: 238 (W) x 75 (H) x 13 (D) 521: 76 (W) x 44 (H) x 1 (D) 526: 93 (W) x 44 (H) x 1 (D)
 536: 93 (W) x 34 (H) x 1 (D) 520: 225 (W) x 75 (H) x 47 (D) 525: 225 (W) x 194 (H) x 47 (D) 535: 225 (W) x 194 (H) x 35 (D)



Unfurnished Plates - New Media™

- 310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- 311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- 312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

Standards: BS 5733
 Back Box Depth (mm): Dependent On Modules Fitted
 Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code:
 VP - Plate Style BN - Plate Finish 011 - Product No.
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome,
 BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.



Unfurnished Plates - New Media™

- 310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- 311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- 312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

Standards: BS 5733
 Back Box Depth (mm): Dependent On Modules Fitted
 Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 1.3 (D) 2 Gang: 146 (W) x 88 (H) x 1.3 (D)

Understanding the code:
 FP - Plate Style BN - Plate Finish 311 - Product No. BK - Insert Colour.
 BS Brushed Stainless, BN Black Nickel, PN Pearl Nickel, CH Polished Chrome and SS Stainless Steel



New Media™ Unfurnished Plate Inserts


- SIN310BK** 1 Gang New Media™ Unfurnished Plate Insert - 1 Aperture
- SIN311BK** 1 Gang New Media™ Unfurnished Plate Insert - 2 Apertures
- SIN312BK** 2 Gang New Media™ Unfurnished Plate Insert - 4 Apertures

New Media™ Cover Plates

- SCP310** 1 Gang New Media™ Cover Plate - 1 Aperture
- SCP311** 1 Gang New Media™ Cover Plate - 2 Apertures
- SCP312** 2 Gang New Media™ Cover Plate - 4 Apertures

Standards: Inserts: BS 5733
Back Box Depth (mm): Dependent On Modules Fitted
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix **311** - Product No **BK** - Insert Colour **SS** - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix **311** - Product No **SS** - Plate Colour. Definity™ plates are coated stainless steel
 CH Chrome, SS Stainless Steel, BS Brushed Stainless, PW Polar White, BK Black, MW Metal White, RD Red



MODE®

Mode® Unfurnished Plates - New Media™

- CMA310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- CMA311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- CMA312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

Part M Range™

Part M™ Range Unfurnished Plates - New Media™

- CMA310AG** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- CMA311AG** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- CMA312AG** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

polar™

Polar™ Unfurnished Plates - New Media™

- PRW310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- PRW311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- PRW312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures


Standards: BS 5733
Back Box Depth (mm): Dependent On Modules Fitted
Dimensions (mm): Mode® & Part M™: 1 Gang: 86 (W) x 86 (H) x 9.5 (D) 2 Gang: 146 (W) x 86 (H) x 9.5 (D)
 Polar™: 1 Gang: 86 (W) x 86 (H) x 11 (D) 2 Gang: (146 (W) x 86 (H) x 11 (D))



Plates Complete With 40mm Deep Back Box
For more Back Boxes see page N4

Unfurnished Plates - New Media™ c/w 40mm Mounting Box

- CL311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- CL312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures



Unfurnished Floor Plates - For Use With New Media™ Modules


- FS311SS** 1 Gang New Media™ Unfurnished Floor Plate - 2 Apertures
- FS312SS** 2 Gang New Media™ Unfurnished Floor Plate - 4 Apertures

Standards: BS 5733
 Back Box Depth (mm): 40
 Dimensions (mm): CL311: 80 (W) x 80 (H) x 42 (D) CL312: 140 (W) x 80 (H) x 42 (D) FS311SS: 86 (W) x 93 (D) x 5 (H)
 FS312SS: 146 (W) x 93 (D) x 5 (H)

New Media™ Modules

The New Media™ modules offer a flexible build solution to a host of individual media transfer requirements. The clip fit grid modules are simple to install in their blank mounting plates.





TV/Satellite Modules - Single Width (25mm x 50mm)

- MM405BK** Single Female Satellite Module - Black
- MM405WH** Single Female Satellite Module - White
- MM405GY** Single Female Satellite Module - Grey

- MM406BK** Twin Female Satellite Module (F to F Connection) - Black
- MM406WH** Twin Female Satellite Module (F to F Connection) - White
- MM406GY** Twin Female Satellite Module (F to F Connection) - Grey

- MM410BK** Single Female Coaxial Module - Black
- MM410WH** Single Female Coaxial Module - White
- MM410GY** Single Female Coaxial Module - Grey

- MM415BK** Single Male Coaxial Module - Black
- MM415WH** Single Male Coaxial Module - White
- MM415GY** Single Male Coaxial Module - Grey

- MM450BK** Blank Module - Black
- MM450WH** Blank Module - White
- MM450GY** Blank Module - Grey

Standards: 450: BS 5733
 Dimensions (mm): 405: 25 (W) x 50 (H) x 23 (D) 406: 25 (W) x 50 (H) x 15 (D) 410 415: 25 (W) x 50 (H) x 23.4 (D)
 450: 25 (W) x 50 (H) x 14 (D)



Media Modules - Twin Width (50mm x 50mm)

- MM420BK** Diplexed TV And Radio Module - Black
- MM420WH** Diplexed TV And Radio Module - White
- MM420GY** Diplexed TV And Radio Module - Grey

- MM430BK** Triplexed TV, Radio & Satellite Module - Black
- MM430WH** Triplexed TV, Radio & Satellite Module - White
- MM430GY** Triplexed TV, Radio & Satellite Module - Grey

- MM440BK** Quad TV, Radio, Sat 1 & Sat 2 Module - Black
- MM440WH** Quad TV, Radio, Sat 1 & Sat 2 Module - White
- MM440GY** Quad TV, Radio, Sat 1 & Sat 2 Module - Grey

TV/Satellite Modules - Twin Width (50mm x 50mm)

- MM425BK** Diplexed TV And Satellite Module - Black
- MM425WH** Diplexed TV And Satellite Module - White
- MM425GY** Diplexed TV And Satellite Module - Grey

All diplexed, triplexed and quad modules require installation of a signal combining distribution amplifier.
 Not suitable for use in the Republic of Ireland.
 The range of diplexed, triplexed and quad modules are not compatible with 'Sky Q'.

Dimensions (mm): 50 (W) x 50 (H) x 31.3 (D)



MM460BK MM465WH MM470GY MM480WH MM485BK



MM460 (Back) MM465 (Back) MM470 (Back) MM480 (Back) MM485 (Back)

All New Media™ RJ45 modules are non-screened and are suitable for use with either Type A or Type B wiring conventions.

Telephone/Data Modules - Single Width (25mm x 50mm)

- | | |
|---|---|
| MM460BK Telephone Master Module - Black | MM480BK RJ45 Cat-5e Module - Black |
| MM460WH Telephone Master Module - White | MM480WH RJ45 Cat-5e Module - White |
| MM460GY Telephone Master Module - Grey | MM480GY RJ45 Cat-5e Module - Grey |
| MM465BK Telephone Secondary Module - Black | MM485BK RJ45 Cat-6 Module - Black |
| MM465WH Telephone Secondary Module - White | MM485WH RJ45 Cat-6 Module - White |
| MM465GY Telephone Secondary Module - Grey | MM485GY RJ45 Cat-6 Module - Grey |
| MM470BK RJ11 Module - Black | |
| MM470WH RJ11 Module - White | |
| MM470GY RJ11 Module - Grey | |

Dimensions (mm): 460 465: 25 (W) x 50 (H) x 20.2 (D) 470: 25 (W) x 50 (H) x 17.2 (D) 480 485: 25 (W) x 50 (H) x 18 (D)



MM002BK MM022WH MM023BK MM025WH MM047BK



MM002 (Back) MM022 (Back) MM023 (Back) MM025 (Back) MM047 (Back)

Switch Modules - Single Width (25mm x 50mm)

- | | |
|--|---|
| MM002BK 10AX 2 Way Switch Module - Black | MM022BK 20A DP Switch Module - Black |
| MM002WH 10AX 2 Way Switch Module - White | MM022WH 20A DP Switch Module - White |
| MM025BK 10AX Intermediate Switch Module - Black | MM023BK 20A DP Switch With Neon Module - Black |
| MM025WH 10AX Intermediate Switch Module - White | MM023WH 20A DP Switch With Neon Module - White |
- Neon positioned on top of rocker

13A Fused FCU Modules - Single Width (25mm x 50mm)

- | |
|---|
| MM047BK 13A Fused FCU Module - Black |
| MM047WH 13A Fused FCU Module - White |

Standards: BS EN 60669-1 047: BS 1363-4 BS 1362
 Cable Size (mm²): 022 023: 3 x 2.5 or 2 x 4 025 002 047: 4 x 1.5 or 3 x 2.5
 Dimensions (mm): 25 (W) x 50 (H) x 22 (D) 047: 25 (W) x 50 (H) x 24.7 (D)



MM010BK

MM020WH

Socket Outlet Modules - Twin Width (50mm x 50mm)

MM010BK 13A UK Socket Module - Black

MM010WH 13A UK Socket Module - White

MM020BK 16A European Schuko Socket Module - Black

MM020WH 16A European Schuko Socket Module - White

Not suitable for use with metal clad boxes CL311 and CL312 (40mm).
MM020 requires CL087 (1 gang 50mm) or CL088 (2 gang 50mm) if required.

MM030BK 16A 110V US Socket Module - Black

MM030WH 16A 110V US Socket Module - White

MM033BK 15A Round Pin Socket Module - Black

MM033WH 15A Round Pin Socket Module - White

MM038BK 5A Round Pin Socket Module - Black

MM038WH 5A Round Pin Socket Module - White




MM033WH

MM030BK



MM038WH



MM515BK

MM515WH

USB Charging Modules - Single Width (25mm x 50mm)

MM515BK 2A USB Charging Module - Black

MM515WH 2A USB Charging Module - White

Standards: 010: BS 1363-2 020: IEC 60884 030: UL 498 033 038: BS 546
515: BS EN 60950-1 BS EN 61000-6-1 **Cable Size (mm²):** 3 x 2.5 or 2 x 4 038: 4 x 1.5 or 3 x 2.5 515: 2 x 1.5
Dimensions (mm): 010: 50 (W) x 50 (H) x 25.6 (D) 020: 50 (W) x 50 (H) x 40,1 (D) 030: 50 (W) x 50 (H) x 25.5 (D)
033: 50 (W) x 50 (H) x 41 (D) 038: 50 (W) x 50 (H) x 27.1 (D) 515: 25 (W) x 55.7 (H) x 37 (D)



A versatile 50mm x 50mm euro module LED, which clips into a '311' or '312' New Media™ plate. Utilises a standard wiring accessory back box. Please see page L4 for more information on New Media™ plates.

LED Euromods - Twin Width (50mm x 50mm)

MM1001CW 240V 1W LED Euromod - Cool White

MM1001WW 240V 1W LED Euromod - Warm White

Pre-wired with 110mm flylead.



MM1001



MM490BK

MM490 (Back)



MM495WH

MM495 (Side)

Speaker Modules - Single Width (25mm x 50mm)

MM490BK RCA/Phono Module (2 Outlets) - Black


MM490WH RCA/Phono Module (2 Outlets) - White

MM490GY RCA/Phono Module (2 Outlets) - Grey

MM495BK Loudspeaker Module (2 Outlets) - Black

MM495WH Loudspeaker Module (2 Outlets) - White

MM495GY Loudspeaker Module (2 Outlets) - Grey



UK Design Registration: 002296483

MM550WH



MM501GY

HDMI Outlet with Flexible Connection (80mm Long)

Brush Modules - Single Width (25mm x 50mm)

MM550BK Single Brush Module - Black (Black Bristles)

MM550WH Single Brush Module - White (Black Bristles)

MM550WHWH Single Brush Module - White (White Bristles)


HDMI Modules - Single Width (25mm x 50mm)

MM501BK HDMI V2.0 With Fly-Lead Module - Black

MM501WH HDMI V2.0 With Fly-Lead Module - White

MM501GY HDMI V2.0 With Fly-Lead Module - Grey

Standards: 1001: BS EN 60598-1 BS EN 60598-2-2 BS EN 55015 BS EN 61547 & BS PD IEC/TR 62778 BS EN 61000-3-2 & BS EN 61000-3-3
550: BS 5733
Dimensions (mm): 490: 25 (W) x 50 (H) x 18.3 (D) 495: 25 (W) x 50 (H) x 19.3 (D) 501: 25 (W) x 50 (H) x 28.2 (D)
550: 25 (W) x 50 (H) x 12.6 (D) 1001: 50 (W) x 50 (H) x 30 (D)



MM300BK MM300 (with fly-lead)

Media Modules - Single Width (25mm x 50mm)

- MM300BK** USB Throughput With Fly-Lead Module - Black
- MM300WH** USB Throughput With Fly-Lead Module - White
- MM300GY** USB Throughput With Fly-Lead Module - Grey



MM305WH MM305 (with fly-lead)

- MM305BK** VGA With Fly-Lead Module - Black
- MM305WH** VGA With Fly-Lead Module - White
- MM305GY** VGA With Fly-Lead Module - Grey



MM491GY MM491 (Back)

Media Modules - Single Width (25mm x 50mm)

- MM491BK** Triple RCA Module (With Screw Terminals) - Black
- MM491WH** Triple RCA Module (With Screw Terminals) - White
- MM491GY** Triple RCA Module (With Screw Terminals) - Grey



MM496WH MM496 (with fly-lead)

- MM496BK** 3.5mm Audio Jack With Fly-Lead Module - Black
- MM496WH** 3.5mm Audio Jack With Fly-Lead Module - White
- MM496GY** 3.5mm Audio Jack With Fly-Lead Module - Grey

Dimensions (mm): 300: 25 (W) x 50 (H) x 41 (D) 305: 25 (W) x 50 (H) x 50 (D)
491: 25 (W) x 50 (H) x 18.3 (D) 496: 25 (W) x 50 (H) x 38 (D)

Hotel Key Card Switch Module - Twin Width (50mm x 50mm)

MM620BK 10A/6AX Hotel Key Card Timer Switch (Mechanical) Module Only - Black

Blue LED illuminates when the key card is removed and the exit time has elapsed. Select Cover plate below:



MM620BK



SP620BK

SP620WH

SP620BKSB

SP620WHBS



Full item requires (MM620BK) switch module, (311) unfinished plate and (SP620) hotel key card cover plate, see listed products below:

Hotel Key Card Switch Module Covers


- SP620BK** Black
- SP620BKAB** Black - Antique Brass
- SP620BKBN** Black - Black Nickel
- SP620BKBR** Black - Polished Brass
- SP620BKBS** Black - Brushed Stainless
- SP620BKCH** Black - Polished Chrome
- SP620BKPN** Black - Pearl Nickel
- SP620BKSB** Black - Satin Brass
- SP620BKSC** Black - Satin Chrome
- SP620BKSS** Black - Stainless Steel

Hotel Key Card Switch Module Covers

- SP620MTBK** Black - Matt Black
- SP620PW** White - White (Metal)
- SP620WH** White - White (Plastic)
- SP620WHBR** White - Polished Brass
- SP620WHBS** White - Brushed Stainless
- SP620WHCH** White - Polished Chrome
- SP620WHPN** White - Pearl Nickel
- SP620WHSB** White - Satin Brass
- SP620WHSC** White - Satin Chrome
- SP620WHSS** White - Stainless Steel

Please note requires mounting plate **311 or **31102 see from page L9
Requires the MM620BK key card module.


Standards: BS EN 60669-1 BS EN 60669-2-3
Cable Size (mm²): 2 x 1.5 Time setting: 10 seconds to 5 minutes
Dimensions (mm): 50 (W) x 50 (H) x 40 (D) SP620: 61 (W) x 52 (H) x 20.5 (D)
Key card not included. Accepts standard room cards: 85.6 x 53.98mm



Here, the input cables from the satellite dish and the TV aerial are connected directly to the rear of each module. The return module is provided to allow the Sky signal to be shared throughout the property using a suitable distribution amplifier. The use of a secondary telephone connection allows for easy connection between the Sky box and the telephone line.

Products Used For This Configuration:

- 1 x **312 Media Plate
- 1 x MM406 Twin Satellite Module
- 1 x MM415 Co-axial Module
- 1 x MM410 Co-axial Module
- 1 x MM465 Telephone Secondary Module



Here, the input cables from the satellite dish and the TV aerial are connected directly to the rear of each module. The return module is provided to allow the Sky signal to be shared throughout the property using a suitable distribution amplifier. The use of a secondary telephone connection allows for easy connection between the Sky box and the telephone line. An HDMI module is provided to facilitate a high definition connection between the Sky box and television.

MM405		Single 'F' Satellite
Connection	Frequency	Insertion Loss (dB) (Typical)
In to Out	5 to 2300 MHz	1.6
Power pass to connection		
MM410		Single IEC Female
Connection	Frequency	Insertion Loss (dB) (Typical)
In to Out	5 to 862 MHz	0.3
Power pass to connection		
MM415		Single IEC Male
Connection	Frequency	Insertion Loss (dB) (Typical)
In to Out	5 to 862 MHz	0.3
Power pass to connection		
MM420		Diplexed TV & Radio
Connection	Frequency	Insertion Loss (dB) (Typical)
In to Radio	87.5 to 230 MHz	2.0
In to TV	47 to 68 MHz	1.5
In to TV	254 to 862 MHz	2.0
Power pass to TV		
MM425		Diplexed TV & Satellite
Connection	Frequency	Insertion Loss (dB) (Typical)
In to TV	47 to 862MHz	2.0
In to Satellite	950 to 2150 MHz	2.5
In to Satellite	2150 to 2400 MHz	3.0
Power pass to satellite		
MM430		Triplexed TV, Radio & Satellite
Connection	Frequency	Insertion Loss (dB) (Typical)
In to Radio	87.5 to 230MHz	3.0
In to TV	47 to 68MHz	2.0
In to TV	254 to 862MHz	2.0
In to Satellite	950 to 2300 MHz	3.0
Power pass to satellite		
MM440		Quad TV, Radio, Satellite 1 & Satellite 2
Connection	Frequency	Insertion Loss (dB) (Typical)
In to Radio	87.5 to 230MHz	3.0
In to TV	470 to 862MHz	2.5
In to Satellite 1	950 to 2300 MHz	3.0
In to Satellite 2	25 to 2400 MHz	1.5
Power pass to satellite 1 & satellite 2		

All diplexed, triplexed and quad modules require installation of a signal combining distribution amplifier. Not suitable for use in the Republic of Ireland.

The range of diplexed, triplexed and quad modules are not compatible with 'Sky Q'.