



Power Safety Shutter Socket Outlets



The Click MODE range has recently been expanded to include a range of anthracite grey finished accessories to comply with current Building Regulations Part M.

Part M Power Socket Outlets are designed to fit effortlessly with the range, with simple installation to enhance the décor of any area.

All Part M 13A sockets are tested and approved to BS1363 offering assured quality and safety through our BSI Kitemark Licence KM10807.

13A UK Safety Shutter Socket Outlets**Product Range****13A UK Safety Shutter Socket Outlets**

CMA1035AG	13A 1 Gang DP Switched Safety Shutter Socket
CMA1835AG	13A 1 Gang DP Switched Safety Shutter Socket with Neon
CMA1836AG	13A 2 Gang DP Switched Safety Shutter Socket (Outboard Rockers)
CMA1840AG	13A 2 Gang DP Switched Safety Shutter Socket with Neon (Outboard Rockers)

How To Specify

A smooth rounded profile range of anthracite grey moulded wiring accessories offering antimicrobial properties to inhibit the growth of infectious diseases. Frontplate to have a maximum thickness of 9.5mm with domed head fixing screws. Terminal screws to be upward facing for ease of installation. All sockets to be double pole switching with safety shutter mechanism for all 3 pin entries. Switches to be white, concave and marked 'ON' in grey with a minimum contact gap of 3mm and switch operation providing a decisive movement and 'click' sound.

All UK 13A socket outlets to be tested and compliant with BS1363-2 and meet an assured quality and safety system like the BSI Kitemark and covered with a 20 year manufacturer's guarantee.

13A UK Safety Shutter Socket Outlets



CMA1035AG



CMA1836AG



CMA1835AG




CMA1840AG


13A UK Safety Shutter Socket Outlets

Product Dimensional Drawings (mm)

CMA1035AG & CMA1835AG




CMA1836AG & CMA1840AG




Product Wiring Diagram

CMA1035AG & CMA1835AG



CMA1836AG & CMA1840AG



13A UK Safety Shutter Socket Outlets**Technical Specification****13A UK Safety Shutter Socket Outlets**

Material Composition	Front Plate, Rocker Switch & Rear Housing: Urea
	Terminals: Brass, Terminal Screws: Steel & Yellow Passivated
	Internal Mechanism: Formed Press Brass
	Silver “on-lay” Copper / Brass Contacts
Voltage	240V~ 50Hz
Current Rating	13A
Terminal Size	5mm ø
Torque Value	2.5Nm
Cable Size	4 x 2.5mm ² , 2 x 4.0mm ²
Back Box Depth	25mm - 47mm
Double Pole	Yes
Twin Earth	(1836, 1840)
Warranty	20 Years
Anti Microbial Certified	Yes
LRV Value	8.9
IP Rating	IP20
Operational Temperature	-5° to +40°C
Standards	BSI Kitemark Approved (Licence KM10807)
	BS 1363-2:2016
	Modified ISO 22196

Additional Information

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.

All white moulded accessories are manufactured using Urea Formaldehyde, which has similar inherent properties to antimicrobial additives that inhibit the growth of infectious diseases. All products were independently tested and achieved a 99.9% kill rate across all four types of the strains of bacteria - MRSA, E-Coli, Salmonella, and Klebsiella Pneumoniae.

Errors & Omissions excluded. Specification is subject to change without notice.

V1.0

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

Telephone: 01827 63454

E-mail: sales@scolmore.com, technical@scolmore.com

Facsimile: 01827 63362

Website: www.scolmore.com

Part M Range

EU DECLARATION OF CONFORMITY

1. *Issuer Name* Scolmore International Limited
2. *Issuer Address* 1 Scolmore Park, Landsberg,
Lichfield Road Industrial Estate,
Tamworth, Staffordshire, B79 7XB
3. *Object(s) of Declaration* Part M Range
 - a. *Group* Safety Shutter Socket Outlets
 - b. *Model No.* CMA1035AG, CMA1835AG, CMA1836AG & CMA1840AG
4. *The object of the declaration described above is in conformity with the requirements of the following Legislations:*
5. *All products contained within the aforementioned comply with the relevant standards and requirements listed below.*

BSI Kitemark License KM10807

BS 1363-2: 2016

6. *I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.*

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2015.

This declaration has been issued under the sole responsibility of the manufacturer, signed at, for and on behalf of: Scolmore International Limited



Karl Rawlins – Senior Technical Support Engineer