



Wide Rocker Switches



The Click MODE range has recently been expanded to include a range of anthracite grey finished accessories to comply with current Building Regulations Part M.

Part M Wide Rocker Switches are the ideal choice for assisted living installations.

10AX Wide Rocker Switches

Product Range

10AX Wide Rocker Switches

CMA811	10AX 1 Gang 2 Way Wide Rocker Plate Switch
CMA812	10AX 2 Gang 2 Way Wide Rocker Plate Switch
CMA813	10AX 3 Gang 2 Way Wide Rocker Plate Switch



CMA811AG




CMA812AG




CMA813AG

Product Dimensional Drawings (mm)



CMA811AG



CMA812AG




CMA813AG




10AX Wide Rocker Switches

Wiring Diagrams


1 Way Switched Circuit




Retractive Switched Circuit



2 Way Switched Circuit



Intermediate Switched Circuit



10AX Wide Rocker Switches**Technical Specification****10AX Wide Rocker Switches****Material Composition**

Front Plate & Rocker Switch: Urea

Rear Housing: Nylon (PA66)

Terminals: Brass

Terminal Screws: Steel & Yellow Passivated

Internal Mechanism: Formed Press Brass

Silver “on-lay” Copper / Brass Contacts

Voltage

240V~ 50Hz

Current Rating

10AX (suitable for inductive loads)

Terminal Size

3.5mm ø

Torque Value

0.4Nm

Cable Size4 x 1.5mm² or 2 x 2.5mm²**Back Box Depth**

16mm - 47mm

Warranty

20 Years

Anti Microbial Certified

Yes

IP Rating

IP20

Operational Temperature

-5° to +40°C

Standards

The Low Voltage Directive 2014/35/EC

IEC 60669-1:1998 (Third Edition) + A1:1999 + A2:2006

Modified ISO 22196

Additional Information

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.

All Part M moulded accessories are manufactured using Urea Formaldehyde, which has similar inherent properties to antimicrobial additives that inhibit the growth of infectious diseases. All products were independently tested and achieved a 99.9% kill rate across all four types of the strains of bacteria - MRSA, E-Coli, Salmonella, and Klebsiella Pneumoniae.

Part M Range

EU DECLARATION OF CONFORMITY

1. *Issuer Name* Scolmore International Limited
2. *Issuer Address* 1 Scolmore Park, Landsberg,
Lichfield Road Industrial Estate,
Tamworth, Staffordshire, B79 7XB
3. *Object(s) of Declaration* Part M Range
- a. *Group* 10AX Wide Rocker Switches
- b. *Model No.* CMA811AG, CMA812AG, CMA813AG
4. *The object of the declaration described above is in conformity with the requirements of the following Legislations:*
- | Document No | Title |
|-------------|-----------------------|
| 2014/35/EC | Low Voltage Directive |

5. *All products contained within the aforementioned comply with the relevant standards and requirements listed below.*

IEC 60669-1:1998 (Third Edition) + A1:1999 + A2:2006

6. *I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.*

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2015.

This declaration has been issued under the sole responsibility of the manufacturer, signed at, for and on behalf of: Scolmore International Limited



Karl Rawlins – Senior Technical Support Engineer